



**THIRD SPACE
LEARNING**

Ultimate Guide to Problem Solving Techniques

9 techniques for approaching problem solving
questions in elementary math

School and District Leader Guides

Contents

How will this resource help my students and me?	1
How to navigate this resource	1
What is included in this resource?	1
Problem solving strategies included - contents	2
Models for approaching problem solving - UCR	2
Problem Solving Models	2-4
Technique 1: Open-ended problem solving	6-7
Technique 2: Using logical reasoning	8-9
Technique 3: Working backwards	10-11
Technique 4: Drawing a diagram	12-13
Technique 5: Drawing a table	14-15
Technique 6: Creating an organized list	16-17
Technique 7: Looking for a pattern	18-19
Technique 8: Acting it out	20-21
Technique 9: Guessing and checking	22-23
Question prompts for all problems	24
Techniques 1-9	25-29
References	30

How will this resource help my students and me?

The problem solving questions in this resource encourage students to think more deeply in order to find solutions, and question the methods that they use to reach an answer. This resource is designed to help teachers develop problems that can be solved in one way and require different solutions in different contexts with the aim of exposing students to more challenging content and encouraging a culture of exploratory talk.

Moreover, the tasks are created to empower students by giving them the tools they need to approach problem solving questions without the teacher's assistance, and encourages them to explain their thinking as well as consider a wide range of responses.

How to navigate this resource

The resource is split into Teacher Notes, and Student Resources. The Teacher Notes are organized with an explanation of each problem, followed by a student guide on the next page, followed by a challenge question complete with the answer. The Student Resource section contains a challenge question worksheet for each problem - these may be printed out or shown on the interactive whiteboard. Unlike the Teacher Notes, the answers are not included.

What is included in this resource?

This resource contains multiple techniques for problem solving questions in elementary math (2nd-5th grades) for a variety of situations. Each technique has its own context, and is worked through using the Understand, Communicate, and Reflect method. Problems like 'the fruity problem' help students with organizational skills and visualizing their work, whereas 'the age problem' promotes self-reflexivity and requires students to consider a wide range of approaches to the question. Below is a full list of the problems as well as their corresponding page numbers in both the teacher's notes and student resource.



At Third Space Learning we specialize in math tutoring for schools. As well as many free elementary math resources, we also help schools close the math opportunity gap through online one-on-one math tutoring delivered by our specialist tutors.

Each week, our tutors support thousands of students who are at risk of not meeting their age-related expectations, and help accelerate their progress and boost their confidence and love of math. For free math resources and information on our primary tutoring programs, visit:

www.thirdspacelearning.com/us/¹

Problem solving strategies included - contents

	Teacher's Notes	Student Resource
1 Open-ended problem solving	p.5	p.24
2 Using logical reasoning	p.7	p.24
3 Working backwards	p.9	p.25
4 Drawing a diagram	p.11	p.25
5 Drawing a table	p.13	p.26
6 Creating an organized list	p.15	p.26
7 Looking for a pattern	p.17	p.27
8 Acting it out	p.19	p.27
9 Guessing and checking	p.21	p.28

Each technique comes with an example problem complete with a walkthrough for students that demonstrates the steps to success - whether it be a correct answer or correct methodology. You can choose to hand this out to students as scaffolding or not, depending on your class. Moreover, it can be discussed as a whole class, in small groups, or one-on-one and also includes a challenge question for individual, partner, or group work. Challenge questions and answers are included in the teacher notes after the explanation of each problem.

The teacher notes also contain key questioning strategies that can be applied in lesson for any of the problems presented. You may find it useful to give students some of the questions from the questioning strategy if they are working in groups to solve the problems - in much the same way this helps the teacher to promote effective thinking from the students - they can be used in a peer-to-peer context to the same effect.

Models for approaching problem solving - UCR

Understand, Communicate, and Reflect, is a simplified version of George Polya's 4 stages of problem solving, namely:

- 1** Understand the problem
- 2** Devise a strategy for solving it
- 3** Carry out the strategy
- 4** Check the result

Simply put, UCR is an easy to remember acronym that simplifies approaching a new problem for your students that works in a variety of contexts. You may choose to use a different version of the Polya model depending on the ability and age of the class you are teaching. For many more versions of Polya's model see the following list.

Problem Solving Models

CUBES

- C Circle the question words
- U Underline key words
- B Box any key numbers
- E Evaluate (what steps do I take?)
- S Solve and check (does my answer make sense and how can I double check?)

RIDE

- R Read the problem correctly.
- I Identify the relevant information.
- D Determine the operation and unit for expressing the answer.
- E Enter the correct numbers and calculate

RICE

- R Read and record the problem
- I Illustrate your thinking with pictures, models, number lines, etc.
- C Compute, calculate and check
- E Explain your thinking

QUACK

- Q Question – read it carefully
- U Understand – underline or circle key elements
- A Approximate – think about the size of your answer
- C Calculate
- K Know if the answer is sensible or not

Problem Solving Models

IDEAL

- I Identify the problem
- D Define the problem
- E Examine the options
- A Act on a plan
- L Look at the consequences

TEAR

- T Think about the problem and ponder
- E Explore and get to the root of the problem
- A Act by selecting a strategy
- R Reassess and scrutinize and evaluate the efficiency of the method

RUCSAC

- R Read the question and underline the important parts
- U Understand: think about what to do and write the number sentences you will need
- C Choose how you will work it out
- S Solve the problem
- A Answer
- C Check



At Third Space Learning we specialize in math tutoring for schools. As well as many free elementary math resources, we also help schools close the math opportunity gap through online one-on-one math tutoring delivered by our specialist tutors.

Each week, our tutors support thousands of students who are at risk of not meeting their age-related expectations, and help accelerate their progress and boost their confidence and love of math. For free math resources and information on our primary tutoring programs, visit:

www.thirdspacelearning.com/us/¹



Technique 1: Open-ended problem solving

Open-ended problem solving does what it says. It involves a problem that has multiple correct answers, and can be approached in several different ways. Problems that are open-ended often - though not always - require significant mathematics. They can include several pieces of information, some of which may be superfluous.

Students may often believe there is only one way to solve a problem, but open-ended problems require them to explain their thinking and encourage them to consider a wide range of responses.

For example, think about the following question:

Which is the odd one out in the following numbers? **2, 4, 9, 15, 30**

This is open to interpretation and various - equally valid - responses can be given. For example, 2 is the only even prime, 9 is the only odd square, 30 has the most factors and so on.

Worked example

The age problem

Read through the problem below, follow the steps and see how the question was answered. Then use the same method on a new question in the 'Challenge Question':

Maisy, Heidi and Freddie are children in the same family.
The product of their ages is a score. How old might they be?
Note: A "score" is equal to 20 years.

1 Understand the problem

There are three people.

There are three numbers that multiply together to make twenty (a score is equal to 20). There will be lots of answers, but no 'right' answer.

2 Communicate

To solve the problem we need to find the numbers that will go into 20 without a remainder (the factors).

The factors of 20 are 1,2,4,5,10,20

Combinations of numbers that could work are: 1,1,20 1,2,10 1,4,5 2,2,5

3 Reflect

The question says children which means 'under 18 years' so that would mean we could remove 1,1,20 from our list of possibilities.

Technique 1: Challenge question and answer

Challenge question

The area problem

A rectangle has an area of 24 square cm. What are the lengths of its sides?

Challenge answer

1cm x 24cm
2cm x 12cm
3cm x 8cm
4cm x 6cm
2.5cm x 9.6cm
2.4cm x 10cm
3.2cm x 7.5cm
1.5cm x 16cm

Technique 2: Using logical reasoning

When reasoning logically students are connecting information together in a sequence of steps. There is no guesswork involved in this approach but a concerted effort to put pieces of a jigsaw together to solve the puzzle. Students can solve these types of problems in different ways but the use of a sorting table or grid is an excellent tool to use as it helps to visualize the problem. When information is placed inside a table like this it can be systematically filled in with tallies, checkmarks, and Xs or with yes/no and true/false.

Reading each clue carefully is essential and so students need to take the time to read the problem and decide where to begin. Sometimes the clues need to be managed in a different order than the order they appear.

Worked example

The zoo problem

After a trip to the zoo, 5 children Ani, Johnnie, Nadia, Raul and Khoza are talking about their favorite animals. They are puffin, alpaca, armadillo, giraffe and panda. Use the clues to work out who likes which animal.

Johnnie's favorite is a panda. Ani's favorite animal starts with the same letter. Nadia and Raul's favorites don't start with the same letter. Nadia likes alpacas.

1 Understand the problem

There are 5 children and 5 animals.

The names of the children and animals are important to solving this problem.

There can only be one right answer.

2 Communicate

For this problem we can draw a grid.

Write the names of the children down the left and the animals along the top.

We already know that Johnnie likes pandas and that Ani's favorite starts with the same letter so her favorite must be a puffin.

We know that Nadia likes alpacas.

3 Reflect

The information in the table acted as a good visual check and the tallies and Xs help us to see the clues more clearly in a concrete form.

	Puffin	Alpaca	Panda	Giraffe	Armadillo
Ani	/	X	X	X	X
Johnnie	X	X	/	X	X
Nadia	X	/	X	X	X
Raul	X	X	X	/	X
Khoza	X	X	X	X	/

Technique 2: Challenge question and answer

Challenge question

The size problem

5 children left their shoes in the hallway. Each child was a different size: 2, 3, 4, 5, 6

Tess knew that hers were the smallest. Kyle thought his were bigger than Charlie's but smaller than Deeptak's. Balroop knew his were the biggest.

Which size shoes did each child have?

Challenge answer

	2	3	4	5	6
Tess	/	X	X	X	X
Kyle	X	X	/	X	X
Charlie	X	/	X	X	X
Deeptak	X	X	X	/	X
Balroop	X	X	X	X	/

Technique 3: Working backwards

Using a working backwards strategy means that students can solve a problem by starting with the solution and then methodically stepping backwards to find the missing information.

This particular strategy is useful for solving problems that include a sequence of events where some or part of the information has deliberately been omitted. In a problem with linked information the events follow each other or a piece of information is influenced by what comes next.

Working backwards might feel odd to students but beginning at the end is a common way to solve a problem and working in reverse order is good practice for double-checking. It often helps to find out what happened in the first place.

The key to making this strategy work is for students to understand that whatever math operations they come across will have to be reversed. So if going forwards there is multiplication, then working backwards means this will be division.

Worked example

The weighty problem

4 gorillas weighed themselves. Clint was 15kg lighter than Amish. Gibbo was twice as heavy as Clint and Jimmy was 7kg heavier than Gibbo. If Jimmy weighed 71kg what was Amish's weight?

1 Understand the problem

There are 4 gorillas.
Clint was 15kg lighter than Amish.
Gibbo was twice as heavy as Clint.
Jimmy was 7kg heavier than Gibbo.
Jimmy weighed 71kg.

2 Communicate

We need to start at the end of the problem with Jimmy's weight which we know is 71kg.
We can begin with working out Gibbo's weight because Jimmy is 7kg heavier than Gibbo so we subtract 7 from 71.
Gibbo's weight is therefore $71 - 7 = 64\text{kg}$.
Gibbo is twice as heavy as Clint so now that we know Gibbo's weight we can divide this by 2.
Clint's weight is therefore $64 \div 2 = 32\text{kg}$
Amish's weight is Clint's weight plus 15kg so $32 + 15 = 47$
Amish's weight is therefore 47kg.

3 Reflect

Working backwards enabled us to get at the solution quicker because we had a method and this helped us to be systematic in our approach. Not working methodically may have resulted in us using the wrong operations or missing parts out.

Technique 3: Challenge question and answer

Challenge question

The money problem

Jack has twice as much money as Matilda. Jack has 4 times as much money as Seb. Seb has \$3 more than August. If Matilda has \$14, how much money do the other children have?

Challenge answer

$$\text{Matilda} = \$14$$

$$\text{Jack } \$14 \times 2 = \$28$$

$$\text{Seb } \$28 \div 4 = \$7$$

$$\text{August} = \$7 - 3 = \$4$$

Technique 4: Drawing a diagram

One of the most effective ways to bring a problem to life and to solve a problem is to draw a picture. This helps to reveal parts of the problem that might be difficult to imagine or may not be immediately obvious on first consideration. Drawing a problem helps you draw on different skills too and supports students to keep a check and track on the stages of a problem.

Sometimes a basic line can help students visualize a problem more easily. Number lines are a good example of this. Other examples include mapping, using arrows, drawing dots and making connections.

Worked example

The sticky problem

For her art project Milly is making a new toy. She has to cut a stick into 8 equal pieces. It takes her half a minute to make each cut. How long will it take her to cut the stick into 8 pieces?

1 Understand the problem

We know that Milly has a stick and she needs to cut it into 8 pieces.

We don't know how long the stick is but for this problem that isn't important.

We know that it takes 30 seconds per cut.

2 Communicate

We can draw a line to symbolize the stick and then divide that line up according to the number of cuts needed.

In order to get 8 pieces then we have to make 7 cuts.

If 1 cut = 30s then 7 cuts will be $7 \times 30\text{s} = 210\text{ seconds}$

210 seconds is 3 minutes and 30 seconds.

3 Reflect

If we hadn't drawn the line then we might have made the mistake of dividing 30 by 8. A good way to do this problem would be to get a strip of paper and then cut it up into pieces. We could also use some clay or playdough and do the same thing.

Technique 4: Challenge question and answer

Challenge question

The Lego problem

Jasmin is building a Lego tower using rectangular bricks. It takes her 1.75 seconds to join 2 pieces together. How long will it take her to join 9 pieces together?

Challenge answer

Jasmin has to make 8 connections to join 9 pieces together so $8 \times 1.75 = 14$ seconds

Technique 5: Drawing a table

This strategy shares similarities with Using Logical Reasoning as it involves presenting information inside a table, although drawing a table isn't the only option for a reasoning problem.

A table can help to organize information so that it can be easily understood, as numbers and words can be made clearer and relationships between them made more obvious. It will also help students to identify which information is required to solve the problem.

A table can also show a pattern or part of a solution that would otherwise be difficult to visualize. Using a table helps to cut down on errors as the information has nowhere to hide! Identifying how many variables are at work can be tricky so students may need help deciding how many rows and columns their table will need and what headings to choose. Using symbols and abbreviations may also help.

Worked example

The fruity problem

Donny has 3 apple trees and 3 pear trees in his garden. For every 8 ripe apples he picks, he picks 3 ripe pears. When the trees were empty he had 64 apples. How many pieces of fruit did he collect in total?

1 Understand the problem

We know that there are 6 trees in Donny's garden: 3 apple trees and 3 pear trees. (This information is not required to solve the problem.)

We know that each time he picks 8 apples he picks 3 pears.

We know that he had collected 64 apples.

2 Communicate

Drawing a table will help us see step by step how many pieces of fruit are being collected. Each time Donny picks 8 apples he picks 3 pears so we can go up in 8s and 3s each step of the way until we reach 64 apples. This problem uses the 8x table and 3x table.

When we get to 64 apples we can see that Donny has picked 24 pears. If we add these together then we get 88 pieces of fruit.

3 Reflect

Drawing a table enabled us to see that the problem involved adding 8 and 3 each time so it was useful to see a pattern. The totals jumped up by 11 each time.

Apples picked	Pears picked	Total
8	3	11
16	6	22
24	9	33
32	12	44
40	15	55
48	18	66
56	21	77
64	24	88

Technique 5: Challenge question and answer

Challenge question

The bike problem

Harry is doing a charity bicycle ride. Each day he cycles less because he gets more tired. On the first day, he covers 38km, the second day 35km, and the third day 32km. How many days will it take him to cover a distance of 220km?

Challenge answer

Day	Km cycled	Distance covered
1	38	38
2	35	73
3	32	105
4	29	134
5	26	160
6	23	183
7	20	203
8	17	220

Technique 6: Creating an organized list

This strategy is not dissimilar to Drawing a Table but it tends to be used where there is a large volume of data or information that requires things to be set out in a more systematic way so that solutions can be seen with more clarity.

Creating an organized list means that students follow a procedure or sequence so that they cover all bases and repetition is prevented.

To create an organized list, students keep one thing the same while changing the others. It involves working sequentially, filling in the gaps after working out a pattern and finding combinations of numbers.

Worked example

The baby problem

Mrs Donovan has just given birth to a baby boy. She wants to name her son James, Liam, Kevin, or Aaron. Mr Donovan wants his son's middle name to be either Ross, Patrick, Michael, or Sean. How many different name possibilities are there?

1 Understand the problem

We know that there are 8 names in total.

We know that 1 first name and 1 middle name will be chosen.

We know that there are lots of different possibilities but these are not endless.

2 Communicate

Making a list of the names will help Mr and Mrs Donovan and so we can organize this using each of the first name options combined with each of the middle names as so:

James Ross	James Patrick	James Michael	James Sean
Liam Ross	Liam Patrick	Liam Michael	Liam Sean
Kevin Ross	Kevin Patrick	Kevin Michael	Kevin Sean
Aaron Ross	Aaron Patrick	Aaron Michael	Aaron Sean

This list shows us that there are 16 possible name combinations.

3 Reflect

Using each of the first names and combining with each of the middle names helped us to group the combinations and then count them together at the end.

Technique 6: Challenge question and answer

Challenge question

The bus stop problem

Deeptesh, Bikram, Jagdip, and Charan are waiting in line at the bus stop.
How many different ways can they line up?

Challenge answer

Starting with any particular child, there will be 6 combinations therefore there are $6 \times 4 = 24$ combinations in total:

Deeptesh, Bikram, Jagdip, Charan
Deeptesh, Bikram, Charan, Jagdip
Deeptesh, Jagdip, Bikram, Charan
Deeptesh, Jagdip, Charan, Bikram
Deeptesh, Charan, Bikram, Jagdip
Deeptesh, Charan, Jagdip, Bikram

Technique 7: Looking for a pattern

This strategy is really an extension of the Drawing a Table and Organized List strategies and is one of the most common problem solving strategies used. Students will often encounter patterns within their everyday lives, such as shapes and numbers in the natural and man-made environment, and can become quite adept at spotting them.

When students identify a pattern, they can easily predict what comes next. When pattern spotting in math, the most common ways to check is to find differences between numbers that are consecutive, decide what operation exists between the numbers, and find out if the numbers increase or decrease. The pattern can then easily be continued and extended.

Once again, drawing a table will help students tease out what's what and locate information with greater power and confidence.

Worked example

The summer problem

At the beginning of summer break, math wizard Chandri challenges herself to do a math problem on the 1st day, 2 problems on the 2nd, 4 on the 3rd day, 8 on the 4th and so on.

How many problems will she complete on the 10th day of her break?

How many will she complete on the 19th day of her break?

1 Understand the problem

We know that Chandri is doing a different number of math problems each day.

The pattern starts at 1 and then doubles each time.

The pattern can be done mentally to start with but builds to a higher number so a table will help organize the information.

2 Communicate

On the 10th day Chandri completes 512 problems and on the 19th day she completes 262,144.

3 Reflect

Once the table is drawn up, it is easy to see that the pattern is a doubling pattern and so this involves multiplying by 2 each time.

Day	Number of maths problems
1	1
2	2
3	4
4	8
5	16
6	32
7	64
8	128
9	256
10	512
11	1024
12	2048
13	4096
14	8192
15	16384
16	32768
17	65536
18	131072
19	262144

Technique 7: Challenge question and answer

Challenge question

The dream problem

Chandri went to see the doctor about her dreams. She said that one night she had 2 dreams, the next night she had 5 dreams, on the 3rd night she had 9 dreams, and on the 4th day she had 14. Her doctor asked her how many dreams she had on the 8th night...how many did she say?

Challenge answer

Day	1	2	3	4	5	6	7	8
Dreams	2	5	9	14	20	27	35	44

The pattern is +3, +4, +5, +6, +7, +8, +9 so on the 8th day Chandri had 44 dreams.

Technique 8: Acting it out

Sometimes the most effective way to get at a problem is to physically involve yourself and become part of it by acting it out. This makes something quite abstract suddenly 'doable' and helps you see the problem more clearly. Depending on the problem, there are lots of concrete objects that might come in handy to help you such as containers, blocks, counters, pencils, rulers, boxes, and so on. The objects are very often 'actors' in the problem so seeing them and what part they play really helps see the problem in the flesh and 'live.'

Where possible, try to have plenty of resources as part of your classroom set-up that can be incorporated into problems to help students make sense of a question. The students themselves make the best resources and can sometimes take on a role within a problem with minimum effort.

Worked example

Water problem we have here!

Jake and Flossie have to give a tree exactly 7 liters of water every week. The problem is they don't have a 7 liter watering can. They have a 5 liter watering can and a 3 liter watering can instead. Without guessing, how can they use the 5 liter and 3 liter containers to measure out 7 liters of water exactly?

1 Understand the problem

There are 2 watering cans: one that holds 5 liters and the other which holds 3 liters.
They have to measure out precisely 7 liters.
They can't guesstimate it.

2 Communicate

For this problem we used 2 watering cans and acted out the problem.
First, we filled the 5 liter watering can with water.
Using the 5 liters of water, we poured 3 liters into the 3 liter watering can. This left exactly 2 liters of water in the 5 liter watering can.
We then pour the 2 liters remaining onto the tree and then fill up the five liter watering can again and pour this onto the tree: this means the tree gets 7 liters of water exactly.

3 Reflect

The problem is made easier by experimenting and trying it out. We can try different combinations and this helps us work out how to make 2 liters of water.

Technique 8: Challenge question and answer

Challenge question

The birthday problem

A dozen friends had a party to celebrate a birthday. Each person shakes hands with every one of the other 11 guests. How many handshakes were there?

Challenge answer

The 1st guest shook 11 hands, the 2nd guest only needed to shake 10 hands because he had already shaken the hand of the 1st person, the 3rd guest shook 9 hands and so on.

So $11 + 10 + 9 + 8 + 7 + 6 + 5 + 4 + 3 + 2 + 1 = 66$

There were 66 handshakes.

Technique 9: Guessing and checking

This is a strategy that involves making educated guesses or guesstimates. It is a trial and error approach that may suit particular problems more than others but can be useful. The guess and check strategy is not a wild or blind guess option but helps students come to understand what sensible estimates are based on limited information.

Guessing and checking involves making a note of important data or information, finding a starting point, drawing up a table, testing, and solving.

Worked example

The meaty problem

Zara bought a chicken burger and some fries for \$2.85. The chicken burger cost twice as much as the fries. What was the cost of each one?

1 Understand the problem

We know that the meal total was \$2.85

We know that the burger was twice the cost of the fries.

We know that halving the burger will not give us the price of each.

2 Communicate

To help us solve this problem we can make some guesses. If the guess doesn't solve the problem then we can raise or lower the guess until we find the amounts that add up to \$2.85.

3 Reflect

Guessing helped us because we still worked systematically by choosing values that weren't 'silly' or wild. As we guessed we were able to see how close we were getting and so we could adapt and revise our guesstimates to get even closer until we found the solution.

	Fries	Chicken Burger	Total	Assessment
Guesstimate 1	\$0.80	\$1.60	\$2.40	Too low
Guesstimate 2	\$0.85	\$1.70	\$2.55	Too low
Guesstimate 3	\$1.00	\$2.00	\$3.00	Too high
Guesstimate 4	\$0.95	\$1.90	\$2.85	Spot on

Technique 9: Challenge question and answer

Challenge question

The present problem

3 brothers saved some money to buy their parents a present for Christmas. Between them, Max, Lennie, and Harrison saved \$20. Max saved \$3 more than Lennie, and Lennie saved \$4 more than Harrison. How much did each save?

Challenge answer

	Max	Lennie	Harrison	Total	Assessment
Guesstimate 1	\$8	\$5	\$1	\$14	Too low
Guesstimate 2	\$15	\$12	\$8	\$35	Too high
Guesstimate 3	\$10	\$7	\$3	\$20	Spot on

Question prompts for all problems

Whichever problem solving strategy you choose to focus on then there are some questioning prompts that students could be presented with to help encourage their independence. These types of questions are a big part of our one-to-one tutoring programs, and all tutors are trained to ask questions like this to ensure each student has really understood the underlying math behind each of the problems they're solving.

For example:

- ✓ What do you think the problem is asking?
- ✓ Have you encountered this type of problem before?
- ✓ What other information is needed in order to answer the question?
- ✓ What have you tried already?
- ✓ What do you want to know now?
- ✓ What else could you work out?
- ✓ How else could you represent the problem?
- ✓ Are you being systematic?
- ✓ Would anything else work?
- ✓ What might help you get 'unstuck'?
- ✓ Can you reword the problem and explain it in a different way?
- ✓ What else can you find out?
- ✓ Could you teach a friend how you did it?
- ✓ What parts of the problem do you understand?
- ✓ Would it help to act out the problem?
- ✓ Would a picture or a diagram help solve the problem?
- ✓ Would any specific resources help you such as counters, cubes, a number line, etc.?
- ✓ Does your answer seem reasonable?
- ✓ Can you explain your thinking?
- ✓ How can you organize your work? Would a table or a list help?
- ✓ Is there anything you would change?

> + = = \neq < - = + \times \neq +

Technique 1

Open-ended problem solving

The area problem

A rectangle has an area of 24 square cm.
What are the lengths of its sides?

> + = = \neq < - = + \times \neq +

Technique 2

Using logical reasoning

The size problem

5 children left their shoes in the hallway.

Each child was a different size: 2, 3, 4, 5, 6
Tess knew that her were the smallest. Kyle
thought his were bigger than Charlie's but
smaller than Deeptak's. Balroop knew his
were the biggest.

Which size shoes did each child have?



> + = = \neq < - = + \times \div +

Technique 3

Working backwards

The money problem

Jack has twice as much money as Matilda.
Jack has 4 times as much money as Seb.
Seb has \$3 more than August. If Matilda has \$14, how much money do the other children have?

> + = = \neq < - = + \times \div +

Technique 4

Drawing a diagram

Building bricks

Jasmin is building a Lego tower using rectangular bricks. It takes her 1.75 seconds to join 2 pieces together. How long will it take her to join 9 pieces together?



> + = = ÷ < - = + × ÷ +

Technique 5

Drawing a table

The bike problem

Harry is doing a charity bicycle ride. Each day he cycles less because he gets more tired. On the first day he covers 38km, the second day 35km, and the third day 32km. How many days will it take him to cover a distance of 220km?



> + = = ÷ < - = + × ÷ +

Technique 6

Creating an organized list

The bus problem

Deeptesh, Bikram, Jagdip, and Charan are waiting in line at the bus stop. How many different ways can they line up?



> + = = ÷ < - = + × ÷ +

Technique 7

Looking for a pattern

The dream problem

Chandri went to see the doctor about her dreams. She said that one night she had 2 dreams, the next night she had 5 dreams, on the 3rd night she had 9 dreams, and on the 4th day she had 14. Her doctor asked her how many dreams she had on the 8th night...how many did she say?



> + = = ÷ < - = + × ÷ +

Technique 8

Acting it out

The birthday problem

A dozen friends had a party to celebrate a birthday. Each person shakes hands with every one of the other 11 guests. How many handshakes were there?



> + = = \neq < - = + \times \div +

Technique 9

Guessing and checking

The present problem

3 brothers saved some money to buy their parents a present for Christmas. Between them, Max, Lennie, and Harrison saved \$20. Max saved \$3 more than Lennie, and Lennie saved \$4 more than Harrison. How much did each save?



References




1 <https://thirdspacelearning.com/us/>

Do you have a group of students who need a boost in math?

Each student could receive a personalized lesson every week from our specialist one-on-one math tutors.

- ✓ Differentiated instruction for each student
- ✓ Aligned to your state's standard
- ✓ Scaffolded learning to close gaps

Speak to us

-  thirdspacelearning.com/us/
-  +1 929-298-4593
-  hello@thirdspacelearning.com



THIRD SPACE
LEARNING