



THIRD SPACE
LEARNING

Mathematics

Paper 2

(Calculator)

Higher Tier


Mark Scheme

AQA GCSE

SET 3

Question	Working	Answer	Notes
Q1		$-3 \leq x < 2$	B1 cao
Q2		y is 62.5% of x	A1 cao
Q3		$\frac{1}{40}$	A1 cao
Q4		$A \cap B'$	B1 cao
Q5	$\tan(x) = \frac{14}{6}$ $x = \tan^{-1}\left(\frac{14}{6}\right) = 66.80140949$	66.8°	M1 $\tan(x) = \frac{14}{6}$ oe seen M1 Attempts $\tan^{-1}\left(\frac{14}{6}\right)$ A1 cao
Q6a		Jess as she has done the most trials	B1 cao
Q6b	$20 \div 6 = 3.33\dots$	Yes - in 20 rolls, we would expect around 3 6s	A1 cao
Q6c	$1 + 14 + 31 = 46$ $20 + 50 + 200 = 270$ $270 \div 6 = 45$ expected 6s	No - the overall results suggest that the dice is not biased, as we would expect about 45 6s and there were 46	A1 cao
Q7	$12 \times 8 = 96$ machine hours $96 \div 9 = 10\frac{2}{3}$ $\frac{2}{3}$ hours = $\frac{2}{3} \times 60 = 40$ minutes	10 hours 40 minutes	M1 $12 \times 8 = 96$ machine hours M1 $96 \div 9 = 10\frac{2}{3}$ A1 cao
Q8		2.38×10^{-3}	A1 cao


Question	Working	Answer	Notes
Q8b	$54000 - 3700 = 50300 = 5.03 \times 10^4$	5.03×10^4	M1 54000 and 3700 or 50300 or 5.03 seen A1 cao
Q8c	$\frac{3 \times 10^p}{10^{p-1}} : \frac{4 \times 10^{p-1}}{10^{p-1}} : \frac{5 \times 10^{p+1}}{10^{p-1}}$ $= 3 \times 10 : 4 : 5 \times 10^2$ $= 30 : 4 : 500$ $= 15 : 2 : 250$	$15 : 2 : 250$	M1 30:4:500 oe A1 Correct, simplified answer
Q9a	$180 - 165 = 15$ $360 \div 15 = 24$	24	M1 $180 - 165 (= 15)$ or $360 \div 15 (= 24)$ seen A1 cao
Q9b		No	B1 cao
Q10a		$\begin{pmatrix} 3x - 2 \\ 15 - 2y \end{pmatrix}$	M1 Top row or bottom row correct A1 cao
Q10b	$x + 1 = 4, x = 3$ $5 + y = 3, y = -2$	$x = 3, y = -2$	M1 x or y correct A1 cao
Q11	$925 \div 25 = 37$ $925 = 25 \times 37$, 25 is square, 37 is prime	$925 = 25 \times 37$	M1 25 identified as factor of 925 A1 $925 = 25 \times 37$ or $925 = 5^2 \times 37$
Q12	$20\% = 54$ $100\% = 54 \times 5 = 270$, £270 interest $\frac{270}{6000} \times 100 = 4.5\%$ interest rate	4.5%	M1 $20\% = 54$ seen or implied M1 $5 \times 54 (= 270)$ M1 Valid attempt to find 270 as a percentage of 6000 A1 cao

Question	Working	Answer	Notes
Q13	$10 \times 9 \times 5 = 450$	450	M1 10, 9 or 5 seen M1 $10 \times 9 \times 5$ A1 cao
Q14	$m^2 = \frac{3p}{4}$ $4m^2 = 3p$ $p = \frac{4m^2}{3}$	$p = \frac{4m^2}{3}$	M1 $m^2 = \frac{3p}{4}$ or $4m^2 = 3p$ seen A1 cao
Q15a	$m = \frac{75 - 55}{2 - 1} = 20$	20	M1 Attempt at change in $\frac{\text{change in } y}{\text{change in } x}$ A1 [18 - 22]
Q15b		Gradient: Hourly charge Y intercept: Fixed initial charge	B1 Gradient correct interpretation B1 Y intercept correct interpretation
Q16			M1 An enlargement, scale factor 2 M1 An enlargement, scale factor -2 A1 Fully correct enlargement

Question	Working	Answer	Notes
Q17a	$y^3 + 296 = (y + 2)^3$ $y^3 + 296 = (y^2 + 4y + 4)(y + 2)$ $y^3 + 296 = y^3 + 6y^2 + 12y + 8$ $6y^2 + 12y - 288 = 0$ $y^2 + 2y - 48 = 0$		M1 $y^3 + 296 = (y + 2)^3$ oe M1 $6y^2 + 12y - 288 = 0$ A1 Reaches $y^2 + 2y - 48 = 0$ with no incorrect working
Q17b	$y^2 + 2y - 48 = 0$ $(y + 8)(y - 6) = 0$ $y = -8$ (invalid) or $y = 6$ Volume: $6^3 = 216$	216cm^3	M1 Valid attempt to solve $y^2 + 2y - 48 = 0$ M1 $y = 6$ A1 cao
Q18	Single : twin = $1 : 6 = 5 : 30$ Twin : family = $5 : 2 = 30 : 12$ Single : twin : family = $5 : 30 : 12$ $12 - 5 = 7$ $21 \div 7 = 3$ $3 \times (5 + 30 + 12) = 141$	141	M1 Single : twin : family = $5 : 30 : 12$ oe M1 $21 \div 7 = 3$ A1 cao
Q19	$(2n + 1)$ and $(2n + 3)$ are consecutive odd numbers: $(2n + 1)^2 + (2n + 3)^2$ $= 4n^2 + 4n + 1 + 4n^2 + 12n + 9$ $= 8n^2 + 16n + 10$ $= 2(4n^2 + 8n + 5)$ It has a factor of 2 and so it is even for all n		M1 Correctly uses two consecutive odd numbers, e.g. $(2n + 1)$ and $(2n + 3)$ or $(2n - 1)$ and $(2n + 1)$ M1 Squares both terms and expands each to form two correct quadratics B1 Factorises by 2 and concludes that it is always even

Question	Working	Answer	Notes
Q20	<p>Let M be the midpoint of AC and N be the midpoint of AD.</p> <p>$MN = 3\text{cm}$, $ME = 9\text{cm}$</p> <p>$NE = \sqrt{3^2 + 9^2} = 3\sqrt{10}$</p> <p>Area $ADE = \frac{1}{2} \times 6 \times 3\sqrt{10} = 9\sqrt{10}$</p> <p>Total surface area $= 36 + 4 \times 9\sqrt{10}$</p> <p>$= 36 + 36\sqrt{10}$</p>	$36 + 36\sqrt{10} \text{ cm}^2$	<p>M1 $NE = \sqrt{3^2 + 9^2} = 3\sqrt{10}$</p> <p>M1 Area $ADE = \frac{1}{2} \times 6 \times 3\sqrt{10} = 9\sqrt{10}$</p> <p>M1 Total surface area $= 36 + 4 \times 9\sqrt{10}$</p> <p>A1 Correct exact answer</p>
Q21	$\frac{10x - 5}{4x + 3} \div \frac{8x^2 - 10x + 3}{16x^3 - 9x}$ $= \frac{1x - 5}{4x + 3} \times \frac{16x^3 - 9x}{8x^2 - 10x + 3}$ $= \frac{5(2x - 1)}{4x + 3} \times \frac{x(4x + 3)(4x - 3)}{(4x - 3)(2x - 1)}$ $= 5x$	$5x$	<p>M1 Flips second fraction and multiplies</p> <p>M1 Factorises at least two expressions correctly</p> <p>M1 All expressions factorised and an attempt at cancelling</p> <p>A1 cao following correct working</p>
Q22		$\frac{k}{2}$	A1 cao

Question	Working	Answer	Notes
Q23a			M1 Translation by 2 units in positive or negative x direction A1 Translation by -2 units in x direction
Q23b		(135, 0)	A1 x coordinate correct A1 y coordinate correct
Q24	Frequencies: $1 \times 10 = 10$ $0.5 \times 58 = 29$ $0.5 \times 98 = 49$ $2 \times 6 = 12$ $(10 \times 2) + (29 \times 2.75) + (49 \times 3.25)$ $+ (12 \times 4.5) = 313$ $313 \div 100 = 3.13$	3.13kg	M1 Frequencies found and at least 3 correct M1 Midpoints used M1 Sum of frequencies \times midpoints M1 Divide by 100 A1 cao

Question	Working	Answer	Notes
Q25	 <p> $AC = 6\text{cm}$ $AB = 2\text{cm}$ $\text{Angle } BAC =$ $\cos^{-1}\left(\frac{2}{6}\right) = 70.528779\dots$ $\text{Area of sector } ACD =$ $\frac{70.528779\dots}{360} \times \pi \times 6^2 = 22.157269\dots$ $BC = \sqrt{6^2 - 2^2} = 4\sqrt{2}$ $\text{Area of triangle } ABC = \frac{1}{2} \times 4\sqrt{2} \times 2 = 4\sqrt{2}$ $\text{Area of } BCD = 22.157269\dots - 4\sqrt{2}$ $= 16.50041475\dots$ $\text{Total shaded area} = 2 \times 16.50 =$ $33.0008295\dots$ $\text{Volume} = 33.0 \times 20 = 660.01659\dots$ $660 \div 1000 = 0.66001659 \text{ litres}$ </p>	0.66l	<p>M1 Angle $BAC =$ $\cos^{-1}\left(\frac{2}{6}\right) = 70.528779\dots$ M1 Area of sector $ACD =$ $\frac{70.528779\dots}{360} \times \pi \times 6^2 = 22.157269\dots$ M1 Area of triangle $ABC =$ $\frac{1}{2} \times 4\sqrt{2} \times 2 = 4\sqrt{2}$ M1 Total shaded area = $2 \times 16.50 = 33.0008295\dots$ M1 Volume = $33.0 \times 20 = 660.01659\dots$ A1 cao given to 2sf </p>

Help ease the pressure with a personalised revision programme for each of your target KS4 students

Our one to one GCSE revision programme is designed to help your target students reach their potential in their GCSE maths exams.

Our specialist maths tutors work one to one with each student, focusing on securing core KS4 content and building familiarity with the kinds of questions they'll be tackling in their GCSE exams.

Get in touch today:

✉ hello@thirdspacelearning.com

🔍 thirdspacelearning.com

☎ 0203 771 0095