

Averages from a Frequency Table - Worksheet

Skill

Group A - Mode

Write down the mode of the following frequency tables:

1)

X	Frequency
1	3
2	9
3	4
4	2
5	1

2)

X	Frequency
5	5
6	11
7	3
8	2
9	2

3)

X	Frequency
10	4
11	5
12	6
13	9
14	3

Group B - Median

Find the median from the following frequency tables:

1)

X	Frequency
1	3
2	9
3	4
4	2
5	1

2)

X	Frequency
5	5
6	11
7	3
8	2
9	2

3)

X	Frequency
10	4
11	5
12	6
13	9
14	3

Group C - Mean

Work out the mean from the following frequency tables (giving answer to 3 SF):

1)

X	Frequency
1	3
2	9
3	4
4	2
5	1

2)

X	Frequency
5	5
6	11
7	3
8	2
9	2

3)

X	Frequency
10	4
11	5
12	6
13	9
14	3

Averages from a Frequency Table - Worksheet

Group D - Modal class

Write down the modal class interval of the following grouped frequency tables:

1)

X	Frequency
$0 \leq x < 20$	1
$20 \leq x < 40$	2
$40 \leq x < 60$	4
$60 \leq x < 80$	3
$80 \leq x < 100$	1

2)

X	Frequency
$0 \leq x < 10$	4
$10 \leq x < 20$	6
$20 \leq x < 30$	7
$30 \leq x < 40$	10
$40 \leq x < 50$	3
$50 \leq x < 60$	1

3)

X	Frequency
$0 \leq x < 5$	12
$5 \leq x < 10$	10
$10 \leq x < 15$	5
$15 \leq x < 20$	6
$20 \leq x < 25$	4
$25 \leq x < 30$	2

Group E - Class containing the median

Find the class interval containing the median from the following grouped frequency tables:

1)

X	Frequency
$0 \leq x < 20$	1
$20 \leq x < 40$	2
$40 \leq x < 60$	4
$60 \leq x < 80$	3
$80 \leq x < 100$	1

2)

X	Frequency
$0 \leq x < 10$	4
$10 \leq x < 20$	6
$20 \leq x < 30$	7
$30 \leq x < 40$	10
$40 \leq x < 50$	3
$50 \leq x < 60$	1

3)

X	Frequency
$0 \leq x < 5$	12
$5 \leq x < 10$	10
$10 \leq x < 15$	5
$15 \leq x < 20$	6
$20 \leq x < 25$	4
$25 \leq x < 30$	2

Group F - Estimated mean

Work out the estimated mean from the following grouped frequency tables (giving answer to 3 SF):

1)

X	Frequency
$0 \leq x < 20$	1
$20 \leq x < 40$	2
$40 \leq x < 60$	4
$60 \leq x < 80$	3
$80 \leq x < 100$	1

2)

X	Frequency
$0 \leq x < 10$	4
$10 \leq x < 20$	6
$20 \leq x < 30$	7
$30 \leq x < 40$	10
$40 \leq x < 50$	3
$50 \leq x < 60$	1

3)

X	Frequency
$0 \leq x < 5$	12
$5 \leq x < 10$	10
$10 \leq x < 15$	5
$15 \leq x < 20$	6
$20 \leq x < 25$	4
$25 \leq x < 30$	2

Averages from a Frequency Table - Worksheet

Applied

- 1) (a)** Here is a frequency table showing the ages of 25 people in the U21s rugby club.

Alex thinks the data is bimodal.

Is she correct? Explain your answer.

Age	Frequency
16	2
17	5
18	7
19	7
20	4

- (b)** Here is a frequency table showing the ages of 30 people in the U21s football club.

Mia thinks the mode is 8.

Is she correct? Explain your answer.

Age	Frequency
16	8
17	4
18	8
19	7
20	8

- 2) (a)** Here is a frequency table showing the number of people in 20 cars

Find the median number of occupants.

Number of people	Frequency
1	5
2	6
3	4
4	4
5	1

- (b)** Here is a frequency table showing the number of eggs in 20 nests in a survey on a local river.

Find the median number of eggs.

Number of eggs	Frequency
1	1
2	2
3	7
4	6
5	4

Averages from a Frequency Table - Worksheet

- 3) (a) Here is a grouped frequency table showing the number of people who are members of 25 clubs in a town.

Estimate the mean number of people.

Number of people	Frequency
1-10	6
11-20	10
21-30	4
31-40	5

- (b) Here is a grouped frequency table showing the number of people on 45 buses.

Estimate the mean number of people.

Give your answer to 1 decimal place.

Number of people	Frequency
0 to 9	20
10 to 19	6
20 to 29	5
30 to 39	8
40 to 49	6

Averages from a Frequency Table - Exam Questions

- 1) The frequency table shows the number of siblings of 25 students.

Number of siblings	Frequency
0	9
1	7
2	5
3	3
4	1

- (a) Write down the mode.

.....
(1)

- (b) Find the median.

.....
(1)

- (b) Calculate the mean.

.....
(2)
(4 marks)

- 2) The grouped frequency table shows the number of passengers on 100 trains.

Number of passengers, x	Frequency
$0 \leq x < 20$	12
$20 \leq x < 40$	17
$40 \leq x < 60$	26
$60 \leq x < 80$	29
$80 \leq x < 100$	16

- (a) Write down the modal class.

.....
(1)

Averages from a Frequency Table - Exam Questions

- (b) Estimate the mean.

.....
(3)
(4 marks)

- 3) The frequency table shows the number of people in 39 swimming sessions at the local swimming pool.

Number of people, x	Frequency
$x < 15$	0
$15 \leq x < 20$	2
$20 \leq x < 25$	15
$25 \leq x < 30$	13
$30 \leq x < 35$	9

- (a) Write down the modal class interval.

.....
(1)

- (b) Find the class interval containing the median.

.....
(1)

- (c) Estimate the mean. Give your answer to 1 decimal place.

.....
(4)
(6 marks)

Averages from a Frequency Table - Answers

	Question	Answer												
	Skill Questions													
Group A	Write down the mode of the following frequency tables:													
	1) <table><tr><th>X</th><th>Frequency</th></tr><tr><td>1</td><td>3</td></tr><tr><td>2</td><td>9</td></tr><tr><td>3</td><td>4</td></tr><tr><td>4</td><td>2</td></tr><tr><td>5</td><td>1</td></tr></table>	X	Frequency	1	3	2	9	3	4	4	2	5	1	1) 2
	X	Frequency												
	1	3												
2	9													
3	4													
4	2													
5	1													
2) <table><tr><th>X</th><th>Frequency</th></tr><tr><td>5</td><td>5</td></tr><tr><td>6</td><td>11</td></tr><tr><td>7</td><td>3</td></tr><tr><td>8</td><td>2</td></tr><tr><td>9</td><td>2</td></tr></table>	X	Frequency	5	5	6	11	7	3	8	2	9	2	2) 6	
X	Frequency													
5	5													
6	11													
7	3													
8	2													
9	2													
3) <table><tr><th>X</th><th>Frequency</th></tr><tr><td>10</td><td>4</td></tr><tr><td>11</td><td>5</td></tr><tr><td>12</td><td>6</td></tr><tr><td>13</td><td>9</td></tr><tr><td>14</td><td>3</td></tr></table>	X	Frequency	10	4	11	5	12	6	13	9	14	3	3) 13	
X	Frequency													
10	4													
11	5													
12	6													
13	9													
14	3													
Group B	Find the median from the following frequency tables:													
	1) <table><tr><th>X</th><th>Frequency</th></tr><tr><td>1</td><td>3</td></tr><tr><td>2</td><td>9</td></tr><tr><td>3</td><td>4</td></tr><tr><td>4</td><td>2</td></tr><tr><td>5</td><td>1</td></tr></table>	X	Frequency	1	3	2	9	3	4	4	2	5	1	1) 2
X	Frequency													
1	3													
2	9													
3	4													
4	2													
5	1													

Averages from a Frequency Table - Answers

Group B contd	2)	<table><tr><th>X</th><th>Frequency</th></tr><tr><td>5</td><td>5</td></tr><tr><td>6</td><td>11</td></tr><tr><td>7</td><td>3</td></tr><tr><td>8</td><td>2</td></tr><tr><td>9</td><td>2</td></tr></table>	X	Frequency	5	5	6	11	7	3	8	2	9	2	2) 6
	X	Frequency													
	5	5													
6	11														
7	3														
8	2														
9	2														
	3)	<table><tr><th>X</th><th>Frequency</th></tr><tr><td>10</td><td>4</td></tr><tr><td>11</td><td>5</td></tr><tr><td>12</td><td>6</td></tr><tr><td>13</td><td>9</td></tr><tr><td>14</td><td>3</td></tr></table>	X	Frequency	10	4	11	5	12	6	13	9	14	3	3) 12
X	Frequency														
10	4														
11	5														
12	6														
13	9														
14	3														
Group C	Work out the mean from the following frequency tables (giving answer to 3 SF):														
	1)	<table><tr><th>X</th><th>Frequency</th></tr><tr><td>1</td><td>3</td></tr><tr><td>2</td><td>9</td></tr><tr><td>3</td><td>4</td></tr><tr><td>4</td><td>2</td></tr><tr><td>5</td><td>1</td></tr></table>	X	Frequency	1	3	2	9	3	4	4	2	5	1	1) 2. 42 (to 3 sf)
	X	Frequency													
	1	3													
2	9														
3	4														
4	2														
5	1														
2)	<table><tr><th>X</th><th>Frequency</th></tr><tr><td>5</td><td>5</td></tr><tr><td>6</td><td>11</td></tr><tr><td>7</td><td>3</td></tr><tr><td>8</td><td>2</td></tr><tr><td>9</td><td>2</td></tr></table>	X	Frequency	5	5	6	11	7	3	8	2	9	2	2) 6. 35 (to 3 sf)	
X	Frequency														
5	5														
6	11														
7	3														
8	2														
9	2														
3)	<table><tr><th>X</th><th>Frequency</th></tr><tr><td>10</td><td>4</td></tr><tr><td>11</td><td>5</td></tr><tr><td>12</td><td>6</td></tr><tr><td>13</td><td>9</td></tr><tr><td>14</td><td>3</td></tr></table>	X	Frequency	10	4	11	5	12	6	13	9	14	3	3) 12. 1 (to 3 sf)	
X	Frequency														
10	4														
11	5														
12	6														
13	9														
14	3														

Averages from a Frequency Table - Answers

Group D	<p>Write down the modal class interval of the following grouped frequency tables:</p> <p>1)</p> <table><tr><th>X</th><th>Frequency</th></tr><tr><td>$0 \leq x < 20$</td><td>1</td></tr><tr><td>$20 \leq x < 40$</td><td>2</td></tr><tr><td>$40 \leq x < 60$</td><td>4</td></tr><tr><td>$60 \leq x < 80$</td><td>3</td></tr><tr><td>$80 \leq x < 100$</td><td>1</td></tr></table> <p>2)</p> <table><tr><th>X</th><th>Frequency</th></tr><tr><td>$0 \leq x < 10$</td><td>4</td></tr><tr><td>$10 \leq x < 20$</td><td>6</td></tr><tr><td>$20 \leq x < 30$</td><td>7</td></tr><tr><td>$30 \leq x < 40$</td><td>10</td></tr><tr><td>$40 \leq x < 50$</td><td>3</td></tr><tr><td>$50 \leq x < 60$</td><td>1</td></tr></table> <p>3)</p> <table><tr><th>X</th><th>Frequency</th></tr><tr><td>$0 \leq x < 5$</td><td>12</td></tr><tr><td>$5 \leq x < 10$</td><td>10</td></tr><tr><td>$10 \leq x < 15$</td><td>5</td></tr><tr><td>$15 \leq x < 20$</td><td>6</td></tr><tr><td>$20 \leq x < 25$</td><td>4</td></tr><tr><td>$25 \leq x < 30$</td><td>2</td></tr></table>	X	Frequency	$0 \leq x < 20$	1	$20 \leq x < 40$	2	$40 \leq x < 60$	4	$60 \leq x < 80$	3	$80 \leq x < 100$	1	X	Frequency	$0 \leq x < 10$	4	$10 \leq x < 20$	6	$20 \leq x < 30$	7	$30 \leq x < 40$	10	$40 \leq x < 50$	3	$50 \leq x < 60$	1	X	Frequency	$0 \leq x < 5$	12	$5 \leq x < 10$	10	$10 \leq x < 15$	5	$15 \leq x < 20$	6	$20 \leq x < 25$	4	$25 \leq x < 30$	2	<p>1) $40 \leq x < 60$</p> <p>2) $30 \leq x < 40$</p> <p>3) $0 \leq x < 5$</p>
X	Frequency																																									
$0 \leq x < 20$	1																																									
$20 \leq x < 40$	2																																									
$40 \leq x < 60$	4																																									
$60 \leq x < 80$	3																																									
$80 \leq x < 100$	1																																									
X	Frequency																																									
$0 \leq x < 10$	4																																									
$10 \leq x < 20$	6																																									
$20 \leq x < 30$	7																																									
$30 \leq x < 40$	10																																									
$40 \leq x < 50$	3																																									
$50 \leq x < 60$	1																																									
X	Frequency																																									
$0 \leq x < 5$	12																																									
$5 \leq x < 10$	10																																									
$10 \leq x < 15$	5																																									
$15 \leq x < 20$	6																																									
$20 \leq x < 25$	4																																									
$25 \leq x < 30$	2																																									
Group E	<p>Find the class interval containing the median from the following grouped frequency tables:</p> <p>1)</p> <table><tr><th>X</th><th>Frequency</th></tr><tr><td>$0 \leq x < 20$</td><td>1</td></tr><tr><td>$20 \leq x < 40$</td><td>2</td></tr><tr><td>$40 \leq x < 60$</td><td>4</td></tr><tr><td>$60 \leq x < 80$</td><td>3</td></tr><tr><td>$80 \leq x < 100$</td><td>1</td></tr></table> <p>2)</p> <table><tr><th>X</th><th>Frequency</th></tr><tr><td>$0 \leq x < 10$</td><td>4</td></tr><tr><td>$10 \leq x < 20$</td><td>6</td></tr><tr><td>$20 \leq x < 30$</td><td>7</td></tr><tr><td>$30 \leq x < 40$</td><td>10</td></tr><tr><td>$40 \leq x < 50$</td><td>3</td></tr><tr><td>$50 \leq x < 60$</td><td>1</td></tr></table>	X	Frequency	$0 \leq x < 20$	1	$20 \leq x < 40$	2	$40 \leq x < 60$	4	$60 \leq x < 80$	3	$80 \leq x < 100$	1	X	Frequency	$0 \leq x < 10$	4	$10 \leq x < 20$	6	$20 \leq x < 30$	7	$30 \leq x < 40$	10	$40 \leq x < 50$	3	$50 \leq x < 60$	1	<p>1) $40 \leq x < 60$</p> <p>2) $20 \leq x < 30$</p>														
X	Frequency																																									
$0 \leq x < 20$	1																																									
$20 \leq x < 40$	2																																									
$40 \leq x < 60$	4																																									
$60 \leq x < 80$	3																																									
$80 \leq x < 100$	1																																									
X	Frequency																																									
$0 \leq x < 10$	4																																									
$10 \leq x < 20$	6																																									
$20 \leq x < 30$	7																																									
$30 \leq x < 40$	10																																									
$40 \leq x < 50$	3																																									
$50 \leq x < 60$	1																																									

Averages from a Frequency Table - Answers

Group E contd	<div>3)</div> <table><tr><th>X</th><th>Frequency</th></tr><tr><td>$0 \leq x < 5$</td><td>12</td></tr><tr><td>$5 \leq x < 10$</td><td>10</td></tr><tr><td>$10 \leq x < 15$</td><td>5</td></tr><tr><td>$15 \leq x < 20$</td><td>6</td></tr><tr><td>$20 \leq x < 25$</td><td>4</td></tr><tr><td>$25 \leq x < 30$</td><td>2</td></tr></table>	X	Frequency	$0 \leq x < 5$	12	$5 \leq x < 10$	10	$10 \leq x < 15$	5	$15 \leq x < 20$	6	$20 \leq x < 25$	4	$25 \leq x < 30$	2	<div>3)</div> $5 \leq x < 10$																										
X	Frequency																																									
$0 \leq x < 5$	12																																									
$5 \leq x < 10$	10																																									
$10 \leq x < 15$	5																																									
$15 \leq x < 20$	6																																									
$20 \leq x < 25$	4																																									
$25 \leq x < 30$	2																																									
Group F	<div>Work out the estimated mean from the following grouped frequency tables (giving answer to 3 SF):</div> <div>1)</div> <table><tr><th>X</th><th>Frequency</th></tr><tr><td>$0 \leq x < 20$</td><td>1</td></tr><tr><td>$20 \leq x < 40$</td><td>2</td></tr><tr><td>$40 \leq x < 60$</td><td>4</td></tr><tr><td>$60 \leq x < 80$</td><td>3</td></tr><tr><td>$80 \leq x < 100$</td><td>1</td></tr></table> <div>2)</div> <table><tr><th>X</th><th>Frequency</th></tr><tr><td>$0 \leq x < 10$</td><td>4</td></tr><tr><td>$10 \leq x < 20$</td><td>6</td></tr><tr><td>$20 \leq x < 30$</td><td>7</td></tr><tr><td>$30 \leq x < 40$</td><td>10</td></tr><tr><td>$40 \leq x < 50$</td><td>3</td></tr><tr><td>$50 \leq x < 60$</td><td>1</td></tr></table> <div>3)</div> <table><tr><th>X</th><th>Frequency</th></tr><tr><td>$0 \leq x < 5$</td><td>12</td></tr><tr><td>$5 \leq x < 10$</td><td>10</td></tr><tr><td>$10 \leq x < 15$</td><td>5</td></tr><tr><td>$15 \leq x < 20$</td><td>6</td></tr><tr><td>$20 \leq x < 25$</td><td>4</td></tr><tr><td>$25 \leq x < 30$</td><td>2</td></tr></table>	X	Frequency	$0 \leq x < 20$	1	$20 \leq x < 40$	2	$40 \leq x < 60$	4	$60 \leq x < 80$	3	$80 \leq x < 100$	1	X	Frequency	$0 \leq x < 10$	4	$10 \leq x < 20$	6	$20 \leq x < 30$	7	$30 \leq x < 40$	10	$40 \leq x < 50$	3	$50 \leq x < 60$	1	X	Frequency	$0 \leq x < 5$	12	$5 \leq x < 10$	10	$10 \leq x < 15$	5	$15 \leq x < 20$	6	$20 \leq x < 25$	4	$25 \leq x < 30$	2	<div>1)</div> 51.8 (to 3 sf) <div>2)</div> 26.6 (to 3 sf) <div>3)</div> 10.7 (to 3 sf)
X	Frequency																																									
$0 \leq x < 20$	1																																									
$20 \leq x < 40$	2																																									
$40 \leq x < 60$	4																																									
$60 \leq x < 80$	3																																									
$80 \leq x < 100$	1																																									
X	Frequency																																									
$0 \leq x < 10$	4																																									
$10 \leq x < 20$	6																																									
$20 \leq x < 30$	7																																									
$30 \leq x < 40$	10																																									
$40 \leq x < 50$	3																																									
$50 \leq x < 60$	1																																									
X	Frequency																																									
$0 \leq x < 5$	12																																									
$5 \leq x < 10$	10																																									
$10 \leq x < 15$	5																																									
$15 \leq x < 20$	6																																									
$20 \leq x < 25$	4																																									
$25 \leq x < 30$	2																																									

Averages from a Frequency Table - Answers

	Question	Answer																								
	Applied Questions																									
1)	<p>a) Here is a frequency table showing the ages of 25 people in the U21s rugby club.</p> <table><tr><th>Age</th><th>Frequency</th></tr><tr><td>16</td><td>2</td></tr><tr><td>17</td><td>5</td></tr><tr><td>18</td><td>7</td></tr><tr><td>19</td><td>7</td></tr><tr><td>20</td><td>4</td></tr></table> <p>Alex thinks the data is bimodal. Is she correct? Explain your answer.</p> <p>b) Here is a frequency table showing the ages of 30 people in the U21s football club.</p> <table><tr><th>Age</th><th>Frequency</th></tr><tr><td>16</td><td>8</td></tr><tr><td>17</td><td>4</td></tr><tr><td>18</td><td>8</td></tr><tr><td>19</td><td>7</td></tr><tr><td>20</td><td>8</td></tr></table> <p>Mia thinks the mode is 8. Is she correct? Explain your answer.</p>	Age	Frequency	16	2	17	5	18	7	19	7	20	4	Age	Frequency	16	8	17	4	18	8	19	7	20	8	<p>a) Yes. The highest frequency is 7 and it occurs twice. The data is bimodal. The modal age is 18 & 19.</p> <p>b) No. 8 can not be the mode as it is not one of the possible ages. 8 is the highest frequency and it occurs three times. You can not have three modes.</p>
Age	Frequency																									
16	2																									
17	5																									
18	7																									
19	7																									
20	4																									
Age	Frequency																									
16	8																									
17	4																									
18	8																									
19	7																									
20	8																									
2)	<p>a) Here is a frequency table showing the number of people in 20 cars</p> <table><tr><th>Number of people</th><th>Frequency</th></tr><tr><td>1</td><td>5</td></tr><tr><td>2</td><td>6</td></tr><tr><td>3</td><td>4</td></tr><tr><td>4</td><td>4</td></tr><tr><td>5</td><td>1</td></tr></table> <p>Find the median number of occupants.</p>	Number of people	Frequency	1	5	2	6	3	4	4	4	5	1	<p>a) $10^{th} = 2, 11^{th} = 2$ Median = 2</p>												
Number of people	Frequency																									
1	5																									
2	6																									
3	4																									
4	4																									
5	1																									

Averages from a Frequency Table - Answers

	<p>b) Here is a frequency table showing the number of eggs in 20 nests in a survey on a local river.</p> <table><tr><th>Number of eggs</th><th>Frequency</th></tr><tr><td>1</td><td>1</td></tr><tr><td>2</td><td>2</td></tr><tr><td>3</td><td>7</td></tr><tr><td>4</td><td>6</td></tr><tr><td>5</td><td>4</td></tr></table> <p>Find the median number of eggs.</p>	Number of eggs	Frequency	1	1	2	2	3	7	4	6	5	4	<p>b) $10^{th} = 3, 11^{th} = 4$ Median = 3.5</p>										
Number of eggs	Frequency																							
1	1																							
2	2																							
3	7																							
4	6																							
5	4																							
3)	<p>a) Here is a frequency table showing the number of people who are members of 25 clubs in a town.</p> <table><tr><th>Number of people</th><th>Frequency</th></tr><tr><td>1-10</td><td>6</td></tr><tr><td>11-20</td><td>10</td></tr><tr><td>21-30</td><td>4</td></tr><tr><td>31-40</td><td>5</td></tr></table> <p>Estimate the mean number of people.</p> <p>b) Here is a frequency table showing the number of people on 45 buses.</p> <table><tr><th>Number of people</th><th>Frequency</th></tr><tr><td>0 to 9</td><td>20</td></tr><tr><td>10 to 19</td><td>6</td></tr><tr><td>20 to 29</td><td>5</td></tr><tr><td>30 to 39</td><td>8</td></tr><tr><td>40 to 49</td><td>6</td></tr></table> <p>Estimate the mean number of people. Give your answer to 1 decimal place.</p>	Number of people	Frequency	1-10	6	11-20	10	21-30	4	31-40	5	Number of people	Frequency	0 to 9	20	10 to 19	6	20 to 29	5	30 to 39	8	40 to 49	6	<p>a) Using midpoints: 5.5, 15.5, 25.5 and 35.5. Estimated mean = 18.7</p> <p>b) Using midpoints: 4.5, 14.5, 24.5 and 34.5, 44.5 Estimated mean = 18.7</p>
Number of people	Frequency																							
1-10	6																							
11-20	10																							
21-30	4																							
31-40	5																							
Number of people	Frequency																							
0 to 9	20																							
10 to 19	6																							
20 to 29	5																							
30 to 39	8																							
40 to 49	6																							

Averages from a Frequency Table - Mark Scheme

	Question	Answer													
	Exam Questions														
1) (a)	<div>The frequency table shows the number of siblings of 25 students.</div> <table><tr><th>Number of siblings</th><th>Frequency</th></tr><tr><td>0</td><td>9</td></tr><tr><td>1</td><td>7</td></tr><tr><td>2</td><td>5</td></tr><tr><td>3</td><td>3</td></tr><tr><td>4</td><td>1</td></tr></table> <div>Write down the mode:</div>	Number of siblings	Frequency	0	9	1	7	2	5	3	3	4	1	(a) Mode = 0	(1)
Number of siblings	Frequency														
0	9														
1	7														
2	5														
3	3														
4	1														
(b)	Find the median:	(b) Median = 1	(1)												
(c)	Calculate the mean:	(c) $\frac{(0 \times 9) + (1 \times 7) + (2 \times 5) + (3 \times 3) + (4 \times 1)}{25}$ Mean = 1.2	(1) (1)												
2) (a)	<div>The grouped frequency table shows the number of passengers on 100 trains.</div> <table><tr><th>Number of passengers, x</th><th>Frequency</th></tr><tr><td>$0 \leq x < 20$</td><td>12</td></tr><tr><td>$20 \leq x < 40$</td><td>17</td></tr><tr><td>$40 \leq x < 60$</td><td>26</td></tr><tr><td>$60 \leq x < 80$</td><td>29</td></tr><tr><td>$80 \leq x < 100$</td><td>16</td></tr></table> <div>Write down the modal class:</div>	Number of passengers, x	Frequency	$0 \leq x < 20$	12	$20 \leq x < 40$	17	$40 \leq x < 60$	26	$60 \leq x < 80$	29	$80 \leq x < 100$	16	(a) $60 \leq x < 80$	(1)
Number of passengers, x	Frequency														
$0 \leq x < 20$	12														
$20 \leq x < 40$	17														
$40 \leq x < 60$	26														
$60 \leq x < 80$	29														
$80 \leq x < 100$	16														
(b)	Estimate the mean:	(b) Midpoints 10, 30, 50, 70, 90 $\frac{(12 \times 10) + (17 \times 30) + (26 \times 50) + (29 \times 70) + (16 \times 90)}{100}$ = 54	(1) (1) (1)												

Averages from a Frequency Table - Mark Scheme

3) (a)	<p>The frequency table shows the number of people in 39 swimming sessions at the local swimming pool.</p> <table><tr><th>Number of people, x</th><th>Frequency</th></tr><tr><td>$x < 15$</td><td>0</td></tr><tr><td>$15 \leq x < 20$</td><td>2</td></tr><tr><td>$20 \leq x < 25$</td><td>15</td></tr><tr><td>$25 \leq x < 30$</td><td>13</td></tr><tr><td>$30 \leq x < 35$</td><td>9</td></tr></table> <p>Write down the modal class interval:</p>	Number of people, x	Frequency	$x < 15$	0	$15 \leq x < 20$	2	$20 \leq x < 25$	15	$25 \leq x < 30$	13	$30 \leq x < 35$	9	(a) $20 \leq x < 25$	(1)
Number of people, x	Frequency														
$x < 15$	0														
$15 \leq x < 20$	2														
$20 \leq x < 25$	15														
$25 \leq x < 30$	13														
$30 \leq x < 35$	9														
(b)	Find the class interval containing the median:	(b) 20^{th} item $25 \leq x < 30$	(1)												
(c)	Estimate the mean: Give your answer to 1 decimal place.	(c) Midpoints - 17.5, 22.5, 27.5, 32.5 $(2 \times 17.5) + (15 \times 22.5) + (13 \times 27.5) + (9 \times 32.5)$ $1022.5 \div 39$ $= 26.21794872...$ $= 26.2 \text{ (1dp)}$	(1) (1) (1) (1)												

Do you have KS4 students who need additional support in maths?

Our specialist tutors will help them develop the skills they need to succeed at GCSE in weekly one to one online revision lessons. Trusted by secondary schools across the UK.

Visit thirdspacelearning.com to find out more.