


# Trigonometry - Worksheet

## Skill


### Group A - Missing sides and angles in right angle triangle

Use SOHCAHTOA to calculate the missing side or angle for each right angle triangle


1)




2)




3)




4)




5)




6)




7)




8)




9)




10)



11)



12)




## Trigonometry - Worksheet


### Group B - Missing sides and angles in non right-angle triangle

Use either the sine rule or the cosine rule to find the missing side or angle in each non right-angle triangle to 2.d.p


1)




2)




3)




4)




5)




6)




7)




8)




9)




10)



11)



12)




## Trigonometry - Worksheet


### Group C - Area of a triangle

Calculate the area of each shape


1)




2)




3)




4)




5)




6)




7)




8)




9)




10)



11)





12)




## Trigonometry - Worksheet

### Applied


- 1) (a) A new donut company is designing their logo. The logo is in the shape of a regular dodecagon, made up of 12 identical triangles shown below. Calculate the width of one triangular section,  $x$ , to the nearest 3 significant figures.



- (b) Hence, calculate the value of  $y$ .




- 2) (a) Shape AOB is a sector of a circle with radius  $8\text{ cm}$ . Calculate the area of the shaded section, to 2 decimal places.




- (b) Calculate the length of the chord from  $A$  to  $B$  to 2.d.p.

## Trigonometry - Worksheet


- 3) (a)** Two beacons are placed at the top of two hills,  $16.4\text{km}$  away from each other. Each beacon is  $70\text{m}$  tall. Beacon A is located at the top of a hill that is  $3\text{km}$  high, whilst Beacon B is located at the top of a  $2.4\text{km}$  high hill. Calculate the angle  $\theta$  of depression between the top of each beacon to 1 decimal place.



- (b)** Beacon A requires a repair. It takes an engineer 1.5 hours to reach the beacon from the base of the hill. He walked at a pace of  $3.2\text{kmph}$  on the shallower route. Calculate the average angle of elevation of the hill to 2.d.p.
- 4) (a)** Harry stands at the end of a  $10\text{m}$  diving board. He aims to land in the water at a maximum of  $5$  degrees in front of where he leaves the board. How far is the horizontal displacement of his dive,  $x$ ?



- (b)** The next diver lands in the water,  $2.6\text{m}$  in front of the end of the diving board. Calculate the average angle of his dive.



## Trigonometry - Exam Questions

- 1) (a) Agatha and Beatrice set off from the same point at the same time. Agatha walks at a bearing of  $120^\circ$  at  $5\text{kmph}$ . Beatrice walks at a bearing of  $200^\circ$  at a speed of  $4.8\text{kmph}$ . Calculate the distance between them after 30 minutes. Write your answer correct to 2 decimal places.


.....  
(5)

- (b) Use your answer to part a) to calculate the bearing of Beatrice from Agatha at this time.

.....  
(4)  
(9 marks)

## Trigonometry - Exam Questions

- 2) (a) A cube shown below has a surface area of  $36\text{cm}^2$ . Calculate the length of the line BE. write your answer in the form  $a\sqrt{b}$  where  $a$  and  $b$  are prime numbers.




.....  
(4)

- (b) Calculate the size of angle BEG.

.....  
(3)  
(7 marks)

## Trigonometry - Exam Questions

- 3) (a) Triangle ABC has an area of  $105m^2$ . Calculate the length of  $x$ .



.....  
(2)


- (b) Calculate the value of  $y$  correct to 2 decimal places.

.....  
(3)  
(5 marks)



## Trigonometry - Exam Questions

- 4) (a) ABCD is a kite with the following information:
- $AD = 2.4\text{cm}$ ,
  - Angle  $ADE = 40^\circ$ ,
  - E is the intersection point of the two diagonals AC and BD
  - $AE:EC = 2:3$ .








Calculate the length of the line AC. Write your answer correct to 2 decimal places.

.....  
(3)








- (b) Calculate the area of ABD.

.....  
(3)  
(6 marks)






# Trigonometry - Answers

	Question	Answer
	Skill Questions	
Group A	<p>Use SOHCAHTOA to calculate the missing side or angle for each right angle triangle</p> <p>1) </p> <p>2) </p> <p>3) </p> <p>4) </p> <p>5) </p>	<p>1) <math>x = \frac{8}{\cos(54)}</math> <math>x = 13.61cm</math></p> <p>2) <math>x = \frac{7}{\cos(53)}</math> <math>x = 11.63m</math></p> <p>3) <math>x = \frac{48}{\sin(33)}</math> <math>x = 88.13cm</math></p> <p>4) <math>x = \frac{76}{\tan(50)}</math> <math>x = 63.77m</math></p> <p>5) <math>x = 11 \times \tan(65)</math> <math>x = 23.59m</math></p>








# Trigonometry - Answers

Group A contd	<p>6) </p> <p>7) </p> <p>8) </p> <p>9) </p> <p>10) </p> <p>11) </p> <p>12) </p>	<p>6) <math>\theta = \tan^{-1}\left(\frac{65}{91}\right)</math>  <math>\theta = 35.54^\circ</math></p> <p>7) <math>\theta = \sin^{-1}\left(\frac{56}{77}\right)</math>  <math>\theta = 46.66^\circ</math></p> <p>8) <math>\theta = \tan^{-1}\left(\frac{7\sqrt{2}}{7\sqrt{2}}\right)</math>  <math>\theta = 45^\circ</math></p> <p>9) <math>x = 9\sqrt{7} \times \tan(45)</math>  <math>x = 9\sqrt{7}m</math></p> <p>10) <math>x = 9\sqrt{2} \times \sin(60)</math>  <math>x = \frac{9\sqrt{6}}{2}cm</math></p> <p>11) <math>x = 7\sqrt{2} \times \cos(30)</math>  <math>x = \frac{7\sqrt{6}}{2}m</math></p> <p>12) <math>\theta = \sin^{-1}\left(\frac{\frac{5}{2}\sqrt{6}}{5\sqrt{2}}\right)</math>  <math>\theta = 60^\circ</math></p>
------------------	---	---







## Trigonometry - Answers

Group B	<p>Use either the sine rule or the cosine rule to find the missing side or angle in each non right-angle triangle</p> <p>1)</p>  <p>2)</p>  <p>3)</p>  <p>4)</p>  <p>5)</p> 	<p>1) <math>x = \frac{3\sin(58)}{\sin(51)}</math> <math>x = 3.27</math></p> <p>2) <math>x = \frac{8\sin(62)}{\sin(55)}</math> <math>x = 8.62</math></p> <p>3) <math>x^2 = 3^2 + 6^2 - 2 \times 3 \times 6 \times \cos(59)</math> <math>x = 5.14</math></p> <p>4) <math>x^2 = 2^2 + 3^2 - 2 \times 2 \times 3 \times \cos(39)</math> <math>x = 1.92</math></p> <p>5) <math>x^2 = 8^2 + 6.1^2 - 2 \times 8 \times 6.1 \times \cos(26)</math> <math>x = 3.67</math></p>
---------	--	--







# Trigonometry - Answers

Group B contd	<p><b>6)</b></p>  <p><b>7)</b></p>  <p><b>8)</b></p>  <p><b>9)</b></p>  <p><b>10)</b></p>  <p><b>11)</b></p>  <p><b>12)</b></p> 	<p><b>6)</b> <math>x^2 = 0.6^2 + 0.2^2 - 2 \times 0.6 \times 0.2 \times \cos(41)</math>  <math>x = 0.47</math></p> <p><b>7)</b> <math>x^2 = 8.02^2 + 9.5^2 - 2 \times 8.02 \times 9.5 \times \cos(55)</math>  <math>x = 8.20</math> (2. d. p)</p> <p><b>8)</b> <math>\theta = \sin^{-1}\left(\frac{5\sin(78)}{8}\right)</math>  <math>\theta = 37.69^\circ</math></p> <p><b>9)</b> <math>\theta = \sin^{-1}\left(\frac{8.9\sin(32)}{14.03}\right)</math>  <math>\theta = 19.64^\circ</math></p> <p><b>10)</b> <math>\theta = \cos^{-1}\left(\frac{3^2 + 4^2 - 5^2}{2 \times 3 \times 4}\right)</math>  <math>\theta = 90^\circ</math></p> <p><b>11)</b> <math>\theta = \cos^{-1}\left(\frac{9^2 + 4^2 - 8^2}{2 \times 9 \times 4}\right)</math>  <math>\theta = 62.7^\circ</math></p> <p><b>12)</b> <math>\theta = \cos^{-1}\left(\frac{9.4^2 + 3.7^2 - 8.2^2}{2 \times 9.4 \times 3.7}\right)</math>  <math>\theta = 59.97^\circ</math></p>
------------------	--	--





# Trigonometry - Answers

Group C	Calculate the area of each shape	
1)		$1) A = \frac{26 \times 17}{2}$ $A = 221 \text{ cm}^2$
2)		$2) A = \frac{15 \times 9}{2}$ $A = 67.5 \text{ cm}^2$
3)		$3) A = \frac{10 \times 4}{2} + (10 \times 6)$ $A = 80 \text{ cm}^2$
4)		$4) A = \left( \frac{4 \times 6}{2} \right) + (5 \times 6)$ $A = 42 \text{ cm}^2$
5)		$5) A = \frac{19 \times 6}{2} + \frac{10 \times 9}{2}$ $A = 102 \text{ cm}^2$
6)		$6) \sqrt{10^2 - 8^2} = 6$ <p>Bottom triangle area = <math>\frac{6 \times 8}{2} = 24 \text{ cm}^2</math></p> <p>Top triangle area = <math>\frac{(6+3) \times 8}{2} = 36 \text{ cm}^2</math></p> $A = 24 + 36 = 60 \text{ cm}^2$

# Trigonometry - Answers




Group C contd	<p><b>7)</b></p>  <p><b>8)</b></p>  <p><b>9)</b></p>  <p><b>10)</b></p>  <p><b>11)</b></p>  <p><b>12)</b></p> 	<p><b>7)</b> <math>A = \frac{1}{2}ab \sin(C)</math>  <math>A = \frac{1}{2} \times 13 \times 15 \times \sin(67.4)</math>  <math>A = 90.09\text{cm}^2</math></p> <p><b>8)</b> <math>A = \frac{1}{2}ab \sin(C)</math>  <math>A = \frac{1}{2} \times 7 \times 11 \times \sin(33)</math>  <math>A = 20.97\text{cm}^2</math></p> <p><b>9)</b> <math>A = \frac{1}{2}ab \sin(C)</math>  <math>A = \frac{1}{2} \times 5 \times 5\sqrt{2} \times \sin(45)</math>  <math>A = 12.5\text{cm}^2</math></p> <p><b>10)</b> <math>A = \frac{1}{2}ab \sin(C)</math>  <math>A = \frac{1}{2} \times 7 \times 8 \times \sin(52)</math>  <math>A = 22.06\text{cm}^2</math></p> <p><b>11)</b> <math>\theta = \cos^{-1}\left(\frac{11^2 + 15^2 - 6^2}{2 \times 11 \times 15}\right)</math>  <math>\theta = 20.05^\circ</math>  <math>A = \frac{1}{2}ab \sin(C)</math>  <math>A = \frac{1}{2} \times 11 \times 15 \times \sin(20.05)</math>  <math>A = 28.28\text{cm}^2</math></p> <p><b>12)</b> Top angle <math>= \sin^{-1}\left(\frac{6\sin(68)}{7}\right) = 52.63^\circ</math>  RHS angle <math>= 59.37^\circ</math>  <math>A = \frac{1}{2}ab \sin(C)</math>  <math>A = \frac{1}{2} \times 7 \times 6 \times \sin(59.37)</math>  <math>A = 18.07\text{cm}^2</math></p>
------------------	--	--

## Trigonometry - Answers


	Question	Answer
	Applied Questions	
1)	<p><b>a)</b> A new donut company is designing their logo. The logo is in the shape of a regular dodecagon, made up of 12 identical triangles shown below. Calculate the width of one triangular section, <math>x</math>, to the nearest 3 significant figures.</p>   <p><b>b)</b> Hence, calculate the value of <math>y</math>.</p> 	<p><b>a)</b> <math>360 \div 12 = 30^\circ</math>  <math>x = 3.8 \tan(30)</math>  <math>x = 2.19\text{cm} \text{ (3sf)}</math></p> <p><b>b)</b> <math>2.19^2 + 3.8^2 = 19.2361</math>  <math>\sqrt{19.2361} = 4.385897856...</math>  <math>y = 4.385... - 3.8</math>  <math>y = 0.59\text{cm}</math></p>
2)	<p><b>a)</b> Shape AOB is a sector of a circle with radius <math>8\text{cm}</math>. Calculate the area of the shaded section, to 2 decimal places.</p>  <p><b>b)</b> Calculate the length of the chord from A to B to 2.d.p.</p>	<p><b>a)</b> Area of sector <math>= \frac{16}{3} \pi</math></p> <p>Area of triangle =  <math>\frac{1}{2} \times 8^2 \times \sin(30) = 16</math></p> <p>Area of segment =  <math>= \frac{16}{3} \pi - 16 = 0.76\text{cm}^2</math></p> <p><b>b)</b> <math>AB^2</math>  <math>= 8^2 + 8^2 - 2 \times 8 \times 8 \cos(30)</math>  <math>AB^2 = 17.14874832...</math>  <math>AB = 4.14\text{cm}</math></p>






## Trigonometry - Answers

<p><b>3)</b></p>	<p><b>a)</b> Two beacons are placed at the top of two hills, <math>16.4\text{km}</math> away from each other. Each beacon is <math>70\text{m}</math> tall. Beacon A is located at the top of a hill that is <math>3\text{km}</math> high, whilst Beacon B is located at the top of a <math>2.4\text{km}</math> high hill. Calculate the angle <math>\theta</math> of depression between the top of each beacon to 1.d.p..</p>  <p><b>b)</b> Beacon A requires a repair. It takes an engineer 1.5 hours to reach the beacon from the base of the hill. He walked at a pace of <math>3.2\text{kmph}</math> on the shallower route. Calculate the average angle of elevation of the hill to 2.d.p.</p>	<p><b>a)</b> <math>3 - 2.4 = 0.6\text{km}</math>  <math>\theta = \tan^{-1}\left(\frac{0.6}{16.4}\right) = 2.1^\circ</math></p> <p><b>b)</b> Distance = <math>3.2 \times 1.5</math>  <math>= 4.8\text{km}</math>  <math>\theta = \sin^{-1}\left(\frac{3}{4.8}\right)</math>  <math>\theta = 38.68^\circ</math></p>
<p><b>4)</b></p>	<p><b>a)</b> Harry stands at the end of a <math>10\text{m}</math> diving board. He aims to land in the water at a maximum of 5 degrees in front of where he leaves the board. How far is the horizontal displacement of his dive, <math>x</math>?</p>  <p><b>b)</b> The next diver lands in the water, <math>2.6\text{m}</math> in front of the end of the diving board. Calculate the average angle of his dive.</p> 	<p><b>a)</b> <math>x = 10 \tan(5)</math>  <math>x = 0.87\text{m}</math></p> <p><b>b)</b> <math>\theta = \tan^{-1}\left(\frac{2.6}{10}\right)</math>  <math>\theta = 14.57^\circ</math></p>


## Trigonometry - Mark Scheme

	Question	Answer	
	Exam Questions		
1) (a)	Agatha and Beatrice set off from the same point at the same time. Agatha walks at a bearing of $120^\circ$ at $5\text{kmph}$ . Beatrice walks at a bearing of $200^\circ$ at a speed of $4.8\text{kmph}$ . Calculate the distance between them after 30 minutes. Write your answer correct to 2 decimal places.	<p>(a) <math>4.8 \times 0.5 = 2.4\text{km}</math>  <math>5 \times 0.5 = 2.5\text{km}</math>  <math>200 - 120 = 80^\circ</math></p> <p>Substitution into the cosine rule:  <math>a^2 = 2.4^2 + 2.5^2 - 2 \times 2.4 \times 2.5 \cos(80)</math>  <math>a^2 = 9.926221868</math>  <math>a = 3.15\text{km} (2dp)</math></p> 	<p>(1) (1) (1)  (1) (1)</p>
(b)	Use your answer to part a) to calculate the bearing of Beatrice from Agatha at this time.	<p>(b) <math>\frac{\sin(\theta)}{2.4} = \frac{\sin(80)}{3.15059...}</math>  <math>\theta = \sin^{-1}\left(\frac{2.4\sin(80)}{3.15059...}\right)</math>  <math>\theta = 48.606...^\circ</math></p> <p>Bearing of B from A = <math>360 - (60 + 48.606...)</math>  <math>= 251^\circ</math></p>	<p>(1) (1) (1)  (1)</p>

## Trigonometry - Mark Scheme

<b>2) (a)</b>	<p>A cube shown below has a surface area of <math>36\text{cm}^2</math>. Calculate the length of the line BE. write your answer in the form <math>a\sqrt{b}</math> where <math>a</math> and <math>b</math> are prime numbers.</p> 	<p><b>(a)</b> <math>6x^2 = 36</math>  <math>x = \sqrt{6}</math></p> <p><math>BE = \sqrt{(\sqrt{6})^2 + (\sqrt{6})^2 + (\sqrt{6})^2} = \sqrt{18}</math>  <math>BE = 3\sqrt{2}</math></p>	<p><b>(1)</b>  <b>(1)</b>  <b>(1)</b>  <b>(1)</b></p>
<b>(b)</b>	<p>Calculate the size of angle BEG.</p>	<p><b>(b)</b></p>  <p>or <math>BG = \sqrt{6}</math> and <math>EG = 2\sqrt{3}</math></p> <p><math>\theta = \tan^{-1}\left(\frac{\sqrt{6}}{2\sqrt{3}}\right)</math>  <math>\theta = 35.26^\circ</math> (2dp)</p>	<p><b>(1)</b>  <b>(1)</b>  <b>(1)</b></p>
<b>3) (a)</b>	<p>Triangle ABC has an area of <math>105\text{m}^2</math>. Calculate the length of <math>x</math>.</p> 	<p><b>(a)</b> <math>\frac{1}{2} \times 28 \times x \times \sin(30) = 105</math>  <math>7x = 105</math>  <math>x = 15\text{m}</math></p>	<p><b>(1)</b>  <b>(1)</b></p>

## Trigonometry - Mark Scheme

(b)	Calculate the value of $y$ correct to 2 decimal places.	<b>(b)</b> $y^2 = 15^2 + 28^2 - 2 \times 15 \times 28 \times \cos(30)$ $y^2 = 281.5386608$ $y = 16.78m$ (2dp)	<b>(1)</b> <b>(1)</b> <b>(1)</b>
4) (a)	<p>ABCD is a kite with the following information:</p> <ul style="list-style-type: none"> <li>• <math>AD = 2.4cm</math>,</li> <li>• Angle <math>ADE = 40^\circ</math>,</li> <li>• E is the intersection point of the two diagonals AC and BD</li> <li>• <math>AE:EC = 2:3</math>.</li> </ul>  <p>Calculate the length of the line AC. Write your answer correct to 2 decimal places.</p>	<b>(a)</b> $AE = 2.4 \sin(40)$ $AE = 1.542690263$ $AC = 1.54... \times \frac{5}{2} = 3.86cm$ (2dp)	<b>(1)</b> <b>(1)</b> <b>(1)</b>
(b)	Calculate the area of ABD.	<b>(b)</b> Angle $BAD = 180 - (40 + 40) = 100^\circ$ $A = \frac{1}{2} \times 2.4 \times 2.4 \times \sin(100)$ $A = 2.84cm^2$	<b>(1)</b> <b>(1)</b> <b>(1)</b>

**Do you have KS4 students who need additional support in maths?**

Our specialist tutors will help them develop the skills they need to succeed at GCSE in weekly one to one online revision lessons. Trusted by secondary schools across the UK.

Visit [thirdspacelearning.com](https://thirdspacelearning.com) to find out more.