

# Proportion - Worksheet

## Skill

### Group A - Direct proportion

$y$  is directly proportional to  $x$ . Work out the missing value:

1) 

$x$	1	2
$y$	3	

 2) 

$x$	1	5
$y$	3	

 3) 

$x$	1	8
$y$	3	

4)

$x$	1	3
$y$	6	

5)

$x$	1	5
$y$	6	

6)

$x$	1	9
$y$	6	

7)

$x$	2	6
$y$	8	

8)

$x$	2	7
$y$	8	

9)

$x$	2	9
$y$	8	

10)

$x$	3	6
$y$	12	

11)

$x$	3	7
$y$	12	

12)

$x$	3	10
$y$	12	

### Group B - Inverse proportion

$y$  is inversely proportional to  $x$ . Work out the missing value:

1) 

$x$	1	2
$y$	12	

 2) 

$x$	1	3
$y$	12	

 3) 

$x$	1	6
$y$	12	

4)

$x$	1	2
$y$	50	

5)

$x$	1	5
$y$	50	

6)

$x$	1	4
$y$	50	

7)

$x$	2	4
$y$	18	

8)

$x$	2	6
$y$	18	

9)

$x$	2	9
$y$	18	

10)

$x$	3	6
$y$	60	

11)

$x$	3	15
$y$	60	

12)

$x$	3	10
$y$	60	

## Proportion - Worksheet

### Group C - Formulas and graphs

$x$  and  $y$  are variables.  $k$  is a constant. State if the following represent direct proportion, inverse proportion or neither:

1)  $y \propto \frac{1}{x}$

2)  $y = kx$

3)  $y = \frac{4}{x}$

4)  $y = 4 + x$

5)  $y = \frac{k}{x}$


6)  $y \propto x$

7)  $y = x - k$


8)  $y = \theta x$

9)  $y = 4x$


10)



11)



12)



## Proportion - Worksheet

### Applied

- 1) (a) If 4 apples cost  $200p$ , find the cost of 7 apples.  
(b) If 5 books cost  $\pounds 20$ , find the cost of 3 books.
- 2) (a) A machine fills 200 bottles in 10 minutes.  
How many bottles are filled in 13 minutes?  
(b) The total contents of 8 bottles is 15 litres.  
What is the contents of 5 bottles?
- 3) (a) A fast train travelling at  $100 \text{ kmph}$  takes 3 hours to complete a journey.  
How long will it take a slower train travelling at  $50 \text{ kmph}$ ?  
(b) A slow bus travelling at  $40 \text{ kmph}$  takes 60 minutes to complete a motorway journey. How long will it take a faster bus travelling at  $75 \text{ kmph}$ ?
- 4) (a) 7 taps fill a swimming pool in 100 minutes.  
How long would it take for 5 taps to fill the same swimming pool?  
(b) It takes 3 workers 8 hours to build a shed.  
How long would it take 5 workers to build the same type of shed?  
Give your answer in hours and minutes.

## Proportion - Exam Questions

- 1) Here is a recipe for 16 flapjacks:

125 g	Butter
125 g	Golden Syrup
50 g	Sugar
175 g	Oats

- (a) Sarah wants to make 32 flapjacks.  
How much golden syrup should she use?

.....g  
(2)

- (b) Tariq wants to make 8 flapjacks.  
How much sugar should he use?

.....g  
(2)

- (c) Ursula has 0.5 kg of oats and plenty of other ingredients.  
Can she make 40 flapjacks?

Explain how you got your answer.

(4)  
(6 marks)

## Proportion - Exam Questions

- 2) 6 workers take 14 hours to paint a fence.  
How many hours do 4 men need to paint the same fence?

.....hours  
(2 marks)

- 3) Given that  $y$  is inversely proportional to  $x$ , complete the table of values:

$x$	1	2	3	8
$y$	48			

(3 marks)

- 4) (a)  $y$  is inversely proportional to  $x$ . When  $x = 5$ ,  $y = 4$ .  
Find an equation for  $y$  in terms of  $x$ .

$y = \dots\dots\dots$   
(3)

- (b) Find  $y$  when  $x$  is 10.

$y = \dots\dots\dots$   
(2)

- (c) Find  $x$  when  $y$  is 0.5.

$x = \dots\dots\dots$   
(2)  
(7 marks)

## Proportion - Answers

	Question	Answer																																																
	Skill Questions																																																	
Group A	<p><math>y</math> is directly proportional to <math>x</math>. Work out the missing value:</p> <p>1) <table border="1" data-bbox="414 604 1053 750"> <tr> <td><math>x</math></td><td>1</td><td>2</td></tr> <tr> <td><math>y</math></td><td>3</td><td></td></tr> </table></p> <p>2) <table border="1" data-bbox="414 784 1053 929"> <tr> <td><math>x</math></td><td>1</td><td>5</td></tr> <tr> <td><math>y</math></td><td>3</td><td></td></tr> </table></p> <p>3) <table border="1" data-bbox="414 963 1053 1108"> <tr> <td><math>x</math></td><td>1</td><td>8</td></tr> <tr> <td><math>y</math></td><td>3</td><td></td></tr> </table></p> <p>4) <table border="1" data-bbox="414 1142 1053 1288"> <tr> <td><math>x</math></td><td>1</td><td>3</td></tr> <tr> <td><math>y</math></td><td>6</td><td></td></tr> </table></p> <p>5) <table border="1" data-bbox="414 1321 1053 1467"> <tr> <td><math>x</math></td><td>1</td><td>5</td></tr> <tr> <td><math>y</math></td><td>6</td><td></td></tr> </table></p> <p>6) <table border="1" data-bbox="414 1500 1053 1646"> <tr> <td><math>x</math></td><td>1</td><td>9</td></tr> <tr> <td><math>y</math></td><td>6</td><td></td></tr> </table></p> <p>7) <table border="1" data-bbox="414 1680 1053 1825"> <tr> <td><math>x</math></td><td>2</td><td>6</td></tr> <tr> <td><math>y</math></td><td>8</td><td></td></tr> </table></p> <p>8) <table border="1" data-bbox="414 1859 1053 2004"> <tr> <td><math>x</math></td><td>2</td><td>7</td></tr> <tr> <td><math>y</math></td><td>8</td><td></td></tr> </table></p>	$x$	1	2	$y$	3		$x$	1	5	$y$	3		$x$	1	8	$y$	3		$x$	1	3	$y$	6		$x$	1	5	$y$	6		$x$	1	9	$y$	6		$x$	2	6	$y$	8		$x$	2	7	$y$	8		<p>1) <math>y = 6</math></p> <p>2) <math>y = 15</math></p> <p>3) <math>y = 24</math></p> <p>4) <math>y = 18</math></p> <p>5) <math>y = 30</math></p> <p>6) <math>y = 54</math></p> <p>7) <math>y = 24</math></p> <p>8) <math>y = 28</math></p>
$x$	1	2																																																
$y$	3																																																	
$x$	1	5																																																
$y$	3																																																	
$x$	1	8																																																
$y$	3																																																	
$x$	1	3																																																
$y$	6																																																	
$x$	1	5																																																
$y$	6																																																	
$x$	1	9																																																
$y$	6																																																	
$x$	2	6																																																
$y$	8																																																	
$x$	2	7																																																
$y$	8																																																	

## Proportion - Answers

	<p>9)</p> <table border="1"> <tr><td><math>x</math></td><td>2</td><td>9</td></tr> <tr><td><math>y</math></td><td>8</td><td></td></tr> </table> <p>10)</p> <table border="1"> <tr><td><math>x</math></td><td>3</td><td>6</td></tr> <tr><td><math>y</math></td><td>12</td><td></td></tr> </table> <p>11)</p> <table border="1"> <tr><td><math>x</math></td><td>3</td><td>7</td></tr> <tr><td><math>y</math></td><td>12</td><td></td></tr> </table> <p>12)</p> <table border="1"> <tr><td><math>x</math></td><td>3</td><td>10</td></tr> <tr><td><math>y</math></td><td>12</td><td></td></tr> </table>	$x$	2	9	$y$	8		$x$	3	6	$y$	12		$x$	3	7	$y$	12		$x$	3	10	$y$	12		<p>9) <math>y = 36</math></p> <p>10) <math>y = 24</math></p> <p>11) <math>y = 28</math></p> <p>12) <math>y = 40</math></p>						
$x$	2	9																														
$y$	8																															
$x$	3	6																														
$y$	12																															
$x$	3	7																														
$y$	12																															
$x$	3	10																														
$y$	12																															
Group B	<p><math>y</math> is inversely proportional to <math>x</math>. Work out the missing value:</p> <p>1)</p> <table border="1"> <tr><td><math>x</math></td><td>1</td><td>2</td></tr> <tr><td><math>y</math></td><td>12</td><td></td></tr> </table> <p>2)</p> <table border="1"> <tr><td><math>x</math></td><td>1</td><td>3</td></tr> <tr><td><math>y</math></td><td>12</td><td></td></tr> </table> <p>3)</p> <table border="1"> <tr><td><math>x</math></td><td>1</td><td>6</td></tr> <tr><td><math>y</math></td><td>12</td><td></td></tr> </table> <p>4)</p> <table border="1"> <tr><td><math>x</math></td><td>1</td><td>2</td></tr> <tr><td><math>y</math></td><td>50</td><td></td></tr> </table> <p>5)</p> <table border="1"> <tr><td><math>x</math></td><td>1</td><td>5</td></tr> <tr><td><math>y</math></td><td>50</td><td></td></tr> </table>	$x$	1	2	$y$	12		$x$	1	3	$y$	12		$x$	1	6	$y$	12		$x$	1	2	$y$	50		$x$	1	5	$y$	50		<p>1) <math>y = 6</math></p> <p>2) <math>y = 4</math></p> <p>3) <math>y = 2</math></p> <p>4) <math>y = 25</math></p> <p>5) <math>y = 10</math></p>
$x$	1	2																														
$y$	12																															
$x$	1	3																														
$y$	12																															
$x$	1	6																														
$y$	12																															
$x$	1	2																														
$y$	50																															
$x$	1	5																														
$y$	50																															




## Proportion - Answers

Group B  
contd

6)	<table><tr><td><math>x</math></td><td>1</td><td>4</td></tr><tr><td><math>y</math></td><td>50</td><td></td></tr></table>	$x$	1	4	$y$	50		6) $y = 12.5$
$x$	1	4						
$y$	50							
7)	<table><tr><td><math>x</math></td><td>2</td><td>4</td></tr><tr><td><math>y</math></td><td>18</td><td></td></tr></table>	$x$	2	4	$y$	18		7) $y = 9$
$x$	2	4						
$y$	18							
8)	<table><tr><td><math>x</math></td><td>2</td><td>6</td></tr><tr><td><math>y</math></td><td>18</td><td></td></tr></table>	$x$	2	6	$y$	18		8) $y = 6$
$x$	2	6						
$y$	18							
9)	<table><tr><td><math>x</math></td><td>2</td><td>9</td></tr><tr><td><math>y</math></td><td>18</td><td></td></tr></table>	$x$	2	9	$y$	18		9) $y = 4$
$x$	2	9						
$y$	18							
10)	<table><tr><td><math>x</math></td><td>3</td><td>6</td></tr><tr><td><math>y</math></td><td>60</td><td></td></tr></table>	$x$	3	6	$y$	60		10) $y = 30$
$x$	3	6						
$y$	60							
11)	<table><tr><td><math>x</math></td><td>3</td><td>15</td></tr><tr><td><math>y</math></td><td>60</td><td></td></tr></table>	$x$	3	15	$y$	60		11) $y = 12$
$x$	3	15						
$y$	60							
12)	<table><tr><td><math>x</math></td><td>3</td><td>10</td></tr><tr><td><math>y</math></td><td>60</td><td></td></tr></table>	$x$	3	10	$y$	60		12) $y = 18$
$x$	3	10						
$y$	60							



## Proportion - Answers

<b>Group C</b>	<p><math>x</math> and <math>y</math> are variables. <math>k</math> is a constant. State if the following represent direct proportion, inverse proportion or neither:</p> <p>1) <math>y \propto \frac{1}{x}</math></p> <p>2) <math>y = kx</math></p> <p>3) <math>y = \frac{4}{x}</math></p> <p>4) <math>y = 4 + x</math></p> <p>5) <math>y = \frac{k}{x}</math></p> <p>6) <math>y \propto x</math></p> <p>7) <math>y = x - k</math></p> <p>8) <math>y = \theta x</math></p> <p>9) <math>y = 4x</math></p> <p>10) </p> <p>11) </p> <p>12) </p>	<p>1) inverse proportion</p> <p>2) direct proportion</p> <p>3) inverse proportion</p> <p>4) neither</p> <p>5) inverse proportion</p> <p>6) direct proportion</p> <p>7) neither</p> <p>8) neither</p> <p>9) direct proportion</p> <p>10) neither</p> <p>11) direct proportion</p> <p>12) inverse proportion</p>
----------------	---	--

## Proportion - Answers

	Question	Answer
	Applied Questions	
1)	<b>a)</b> If 4 apples cost 200p, find the cost of 7 apples.  <b>b)</b> If 5 books cost £20, find the cost of 3 books.	<b>a)</b> $200 \div 4 \times 7 = 350$ 350p or £3.50  <b>b)</b> $20 \div 5 \times 3 = 12$ £12
2)	<b>a)</b> A machine fills 200 bottles in 10 minutes. How many bottles are filled in 13 minutes?  <b>b)</b> The total contents of 8 bottles is 15 litres. What is the contents of 5 bottles?	<b>a)</b> $200 \div 10 \times 13 = 260$ 260 bottles  <b>b)</b> $15 \div 8 \times 5 = 9.375$ 9.375 litres
3)	<b>a)</b> A fast train travelling at 100 <i>kmph</i> takes 3 hours to complete a journey. How long will it take a slower train travelling at 50 <i>kmph</i> ?  <b>b)</b> A slow bus travelling at 40 <i>kmph</i> takes 60 minutes to complete a motorway journey. How long will it take a faster bus travelling at 75 <i>kmph</i> ?	<b>a)</b> $3 \times 2 = 6$ 6 hours  <b>b)</b> $40 \times 60 \div 75 = 32$ 32 mins
4)	<b>a)</b> 7 taps fill a swimming pool in 100 minutes. How long would it take for 5 taps to fill the same swimming pool?  <b>b)</b> It takes 3 workers 8 hours to build a shed. How long would it take 5 workers to build the same type of shed?	<b>a)</b> $100 \times 7 \div 5 = 140$ 140 mins = 2 hours 20 mins  <b>b)</b> $3 \times 8 \div 5 = 4.8$ 4.8 hours = 4 hours 48 mins

## Proportion - Mark Scheme

	Question	Answer																					
	Exam Questions																						
1)	Here is a recipe for 16 flapjacks: <div><div>125 g</div><div>Butter</div></div> <div><div>125 g</div><div>Golden Syrup</div></div> <div><div>50 g</div><div>Sugar</div></div> <div><div>175 g</div><div>Oats</div></div>																						
(a)	Sarah wants to make 32 flapjacks. How much golden syrup should she use?	(a) $125 \times 2$  250 g	(1)  (1)																				
(b)	Tariq wants to make 8 flapjacks. How much sugar should he use?	(b) $50 \div 2$  25 g	(1)  (1)																				
(c)	Ursula has 0.5 kg of oats and plenty of other ingredients. Can she make 40 flapjacks?  Explain how you got your answer	(c) $0.5 \times 1000 = 500\text{ g}$  $40 \div 16 = 2.5$  $175 \times 2.5 = 437.5\text{ g}$  Yes <b>and</b> 437.5 g is less than 500 g so	(1)  (1)  (1)  (1)																				
2)	6 workers take 14 hours to paint a fence.  How many hours would 4 men have taken to paint the same fence?	$14 \times 6 \div 4$  21 hours	(1)  (1)																				
3)	Given that y is inversely proportional to x, complete the table of values:  <table><tr><td>x</td><td>1</td><td>2</td><td>3</td><td>8</td></tr><tr><td>y</td><td>48</td><td></td><td></td><td></td></tr></table>	x	1	2	3	8	y	48				<table><tr><td>x</td><td>1</td><td>2</td><td>3</td><td>8</td></tr><tr><td>y</td><td>48</td><td>24</td><td>16</td><td>6</td></tr></table>  24 16 6	x	1	2	3	8	y	48	24	16	6	(1)  (1)  (1)
x	1	2	3	8																			
y	48																						
x	1	2	3	8																			
y	48	24	16	6																			

## Proportion - Mark Scheme

<b>4) (a)</b>	$y$ is inversely proportional to $x$ . When $x = 5$ , $y = 4$ .  Find an equation for $y$ in terms of $x$ .	<b>(a)</b> $y = \frac{k}{x}$ or $4 = \frac{k}{5}$ <b>oe</b> (1)  $k = 20$ (1)  $y = \frac{20}{x}$ (1)	
<b>(b)</b>	Find $y$ when $x$ is 10.	<b>(b)</b> $y = \frac{20}{10}$ (1)  $y = 2$ (1)	
<b>(c)</b>	Find $x$ when $y$ is 0.5.	<b>(c)</b> $0.5 = \frac{20}{x}$ <b>or</b> $x = \frac{20}{0.5}$ <b>oe</b> (1)  $x = 40$ (1)	

***Do you have KS4 students who need additional support in maths?***

Our specialist tutors will help them develop the skills they need to succeed at GCSE in weekly one to one online revision lessons. Trusted by secondary schools across the UK.

Visit [thirdspacelearning.com](https://thirdspacelearning.com) to find out more.